

## TOUCHLESS PANCAKE MAKER



### **LEAD WITH PANCAKES**

Build your hot breakfast around the easy to manage QuickCakes<sup>™</sup> pancake maker.

### QUICKCAKES SYSTEM BENEFITS



### SAFE & SANITARY

Build guest confidence with touchless operation, no-touch delivery, and a cool-to-the touch enclosure.



### Low Labor

Easy to manage hot breakfast. No mess "quick-change" batter bags reduce the need for additional staff.



### Low Waste

Save on raw batter waste with our pre-portioned mix system. You serve only what is consumed, increasing yield and saving on costly condiments.



### **FAST**

Pancakes dispense every 30 seconds; 4x faster than a waffle maker. Reduce waiting times and long lines.

# EASY AS... 1 2 3

### 1. EASY SET UP IN 3 STEPS AND 5 MINUTES.

- 1. ADD WATER TO DISPENSER BAG.
- 2. SHAKE DISPENSER BAG.
- 3. LOAD DISPENSER BAG.




### 2. EASY REFILL WITH "QUICK-CHANGE" BAG BATTER SYSTEM AND 1 MINUTE.



- 1. REMOVE EMPTY BAG.
- 2. INSTALL NEW BAG.
- 3. PRESS OK.
- 3. EASY CLEAN UP IN 3 STEPS AND 1 MINUTE.
  - 1. ONE TOUCH SHUTDOWN.
  - 2. DISPOSE OF DISPENSER BAG.
  - 3. REMOVE AND CLEAN NOZZLE REST.





#### THE QUICKCAKES 6-STEP "CLOSED SYSTEM" OPERATION & QUICK-CHANGE BATTER BAGS



1. ADD WATER 2. SHAKE BAG 3. LOAD BAG 4. TOUCHLESS OPERATION 5. RELOAD QUICK- 6. CLEAN TOUCHLESS DELIVERY CHANGE BAG

### THE QUICKCAKES PROGRAM

- NO COST FOR EQUIPMENT, MAKER PROVIDED

  \*MAKER PROVIDED ON LOAN; MINIMUM PURCHASE REQUIRED.
- SHIPPING ALWAYS INCLUDED
- SUPERIOR EXPERIENCE
- CLEAN, SIMPLE, SAFE & SANITARY
- SPACE SAVING
- TIME SAVING

- VIRTUALLY ELIMINATES RAW AND COOKED FOOD WASTE
- NO BATTER AND SYRUP TRANSFER CUPS
- NO RELEASE SPRAY
- LOW POWER CONSUMPTION
- THE QUICKCAKES MAKER CAN PRODUCE THE SAME NUMBER OF PORTIONS AS 4 WAFFLE MAKERS IN AN HOUR

PRICE:

THE MIX: SKU: 15036 DELUXE BUTTERMILK CASE: 15/1.6 LB YIELD: 540 - 4" PANCAKES

### **SPECIFICATIONS:**

DESCRIPTION

MODEL PC-11 US-QC

120V | 60 HZ | 1,700 WATTS | 15 AMPS

(20 AMP DEDICATED CIRCUIT REQUIRED)







RoHS







