





Innovative products are design focused, priced competitively and manufactured to the highest quality control standards. This model features an elegantly designed frameless glass door whereby the glass sits on the frame versus inside as traditionally seen.

The net effect is an all glass face providing a premium look to any guestroom. Custom colors, finishes and hardware are available.



FEATURES

- 40L MODEL
- FRAMELESS GLASS DOOR
- ABSORPTION COOLING (noise level 0 dBs)
- INTERNAL LIGHT

SPECS	Model inn402GDF
Dimensions:	H: 22.0" W: 15.9" D: 18.0"
Capacity:	40 liters
Power Supply:	Voltage 110-240 vac/50/60hz
Wattage:	75w

- AUTO DEFROST
- (2) GLASS SHELVES w/ CHROME FINISH
- REVERSIBLE DOORS
- RECESSED HANDLE

Innovative Hospitality Concepts, Inc.

Phone: (954) 733-2500 Fax: (954) 733-2988


2701 W. Oakland Park Blvd., Suite 210

Fort Lauderdale, Florida 33311

www.experiencelNNOVATIVE.com



VENTILATION REQUIREMENTS



Above is a diagram displaying the (3) cabinet cutout options for a properly ventilated environment. **Both intake vents marked in green are required.**

The ventilation process involves cold air entering the furniture at the base, passing through the cooling system, and warm air rising and escaping.

It is important to maintain a minimum clearance of 2 inches from the rear wall and 1.5 inches on the sides and top of the unit within the furniture cabinet. The cooling system requires unobstructed air circulation.

If ventilation grills are installed, each opening should have a minimum area of 32 square inches. Additionally, the unit should be placed on a level surface for optimal performance.