

WINGITS®

OVER 25 YEARS OF EXCELLENCE

BWH® | Endorsed
Supplier



TO ORDER CONTACT:

BWH Supply 800.528.3601, Option 3 | supplymanagement@bwh.com

Sales@wingits.com

866.990.0235

wingits.com

Click to Navigate

Table of Contents

BW Timeless Quote Template	4
Bath Accessories	15
CONTOUR™ Oval 5' Curved Shower Rod	16
CONTOUR TriRod™	18
MODERN Elegance™ Towel Bar	20
INFINITE Elegance™ Towel Bar	22
MODERN Elegance™ Horizontal Vertical Toilet Paper Holder	24
INFINITE Elegance™ Horizontal Vertical Toilet Paper Holder	26
MODERN Elegance™ Toilet Paper Holder	28
MODERN Elegance™ Double Horizontal Toilet Paper Holder	30
MODERN Elegance™ Double Toilet Paper Holder	32
MODERN Elegance™ Double Robe Hook	34
INFINITE Elegance™ Mitered Double Robe Hook	36
MAX Elegance™ Double Coat Hook	38
CONTOUR™ 8" Corner Basket	40
Tubular Corner Foot Rest	42
MASTER™ Towel Rack	44
INFINITE Transitional™ Towel Rack	46
MODERN Elegance™ Grab Bar	48
INFINITE Elegance™ Grab Bar	50
STANDARD™ Grab Bar	52
ADA Shower Seats & Tub Benches	54
Reversible Shower Seat	55
Rectangular Shower Seat	57
Portable Tub Bench	59
Rectangular Permanent End Mount Tub Bench	61
Rectangular Permanent End Mount Tub Bench with SKIS	63
Rectangular Permanent Rear Mount Tub Bench	65
Rectangular Permanent Rear Mount Tub Bench with SKIS	67
Cast Marble Panels, Pans, & Accessories	69
All available Panel Patterns	70
Winglts Wallz™ Herringbone Panel System	71
Winglts Wallz™ 3x6 Subway Panel System	73
Winglts Wallz™ Center Drain Pan	75

Winglts Wallz™ Trench Pan	77
Winglts Wallz™ Offset Pan	79
Winglts Wallz™ Roll-in Center Drain Pan	81
Shower Doors	83
Avalon™ Bypass Door with TRAMtec™	84
Avant Bypass Shower Door	86
Closet Systems	88
ELITE Gallery™ 36" Closet Shelf	89
ELITE Gallery™ ADA Step Closet Shelves	91
ELITE Gallery™ Complete Closet System	93
ELITE Gallery™ IB Free Closet System	95
ELITE Gallery™ Complete Closet System	97
Lighted Mirrors – 1 Piece	99
Molvano™ Lighted Mirror	100
Alvista™ Lighted Mirror	103
Matiri™ Lighted Mirror	106
Altaren™ Lighted Mirror	109
Eletri™ Lighted Mirror	112
Lighted Mirrors – 2 Piece	115
Molvano™ Lighted Mirror	116
Alvista™ Lighted Mirror	118
Matiri™ Lighted Mirror	120
Altaren™ Lighted Mirror	122
Fasteners & Drill Bits	124
CONTOUR™ Shower Rod Renovation Kit	125
Grab Bar Fastener	126
Designer Grab Bar Fastener	128
MASTER Anchor™	130
APACHE200™ Industrial Grade Carbide Drill Bit	132

BILLY MAC - DIRECTOR OF HOSPITALITY
O: 540-692-1102 / C: 540-335-5264 / billymac@wingits.com

BEN RAPP - DIRECTOR OF NATIONAL SALES
O: 866-990-0235 / C: 248-914-2490 / ben@wingits.com

DAVID BURCON - VICE PRESIDENT / PRINCIPAL
O: 866-990-0235 / C: 734-330-4662 / dburcon@wingits.com

WINGITS®

WINGITS.COM
HEADQUARTERS
5006 BELMAR BLVD,
WALL, NJ 07726
Office: 877-894-6448






ITEM #	DESCRIPTION	PICTURE	COUNT
BATH ACCESSORIES - SEE COVER PAGE NOTE			
WOCONPS5NC	CONTOUR 5FT CURVED SHOWER ROD FOR NEW CONSTRUCTION - 6 IN BOW - HAND POLISHED STAINLESS STEEL (CHROME) - INCLUDES STAINLESS STEEL WOOD SCREWS		
WOCONPS5REN	CONTOUR 5 FT CURVED SHOWER ROD FOR RENOVATION - 6 IN BOW - HAND POLISHED STAINLESS STEEL (CHROME) - INCLUDES REN INSTALLATION KIT		
WOCONSTPS5	CONTOUR 5 FT STRAIGHT TRIROD SHOWER ROD - HAND POLISHED STAINLESS STEEL (CHROME) - INCLUDES MOUNTING BRACKETS - ADA ROLL-IN SHOWERS		
WMETBPS18	MODERN ELEGANCE 18 IN TOWEL BAR - HAND POLISHED STAINLESS STEEL (CHROME) - MOUNTED AT VANITY		
WIETBPS18	INFINITE ELEGANCE 18 IN TOWEL BAR - HAND POLISHED STAINLESS STEEL (CHROME) - MOUNTED AT VANITY		
WMEHVTPHPS	MODERN ELEGANCE HORIZONTAL VERTICAL TOILET PAPER HOLDER - HAND POLISHED STAINLESS STEEL (CHROME) - CAN BE USED IN CONJUNCTION WITH UPGRADED SHELIVING VANITY THAT WILL STORE THE SPARE ROLL		
WIEHVTPHPS	INFINITE ELEGANCE HORIZONTAL VERTICAL TOILET PAPER HOLDER - HAND POLISHED STAINLESS STEEL (CHROME) - CAN BE USED IN CONJUNCTION WITH UPGRADED SHELIVING VANITY THAT WILL STORE THE SPARE ROLL		
WMETPHPS	MODERN ELEGANCE SINGLE TOILET PAPER HOLDER - HAND POLISHED STAINLESS STEEL (CHROME) - CAN BE USED IN CONJUNCTION WITH UPGRADED SHELIVING VANITY THAT WILL STORE THE SPARE ROLL		

ITEM #	DESCRIPTION	PICTURE	COUNT
WMEDHTPHPS	MODERN ELEGANCE DOUBLE HORIZONTAL TOILET PAPER HOLDER - HAND POLISHED STAINLESS STEEL (CHROME)		
WMEDTPHPS	MODERN ELEGANCE DOUBLE TOILET PAPER HOLDER - HAND POLISHED STAINLESS STEEL (CHROME)		
WMEDRHPS	MODERN ELEGANCE DOUBLE ROBE HOOK - HAND POLISHED STAINLESS STEEL (CHROME)		
WIEDRHPS	INFINITE ELEGANCE DOUBLE ROBE HOOK - HAND POLISHED STAINLESS STEEL (CHROME)		
WXEDCHPS	MAX ELEGANCE DOUBLE COAT HOOK - HAND POLISHED STAINLESS STEEL (CHROME)		
WCONCBPS8	CONTOUR 8 IN CORNER SHOWER BASKET - HAND POLISHED STAINLESS STEEL (CHROME) - INCLUDES MASTER ANCHORS		
WFRTC8PSPE	SPECIALTY 8 IN TUBULAR CORNER FOOT REST - PEENED HAND POLISHED STAINLESS STEEL (CHROME)		
WMRBS24	MASTER 24 IN TOWEL RACK - HAND POLISHED STAINLESS STEEL (CHROME) - INCLUDES MASTER ANCHORS		
WITTRPS24	INFINITE TRANSITIONAL 24 IN TOWEL RACK - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5MEPS12	MODERN ELEGANCE 12 IN GRAB BAR - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5MEPS18	MODERN ELEGANCE 18 IN GRAB BAR - HAND POLISHED STAINLESS STEEL (CHROME)		

ITEM #	DESCRIPTION	PICTURE	COUNT
WGB5MEPS24	MODERN ELEGANCE 24 IN GRAB BAR - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5MEPS30	MODERN ELEGANCE 30 IN GRAB BAR - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5MEPS32	MODERN ELEGANCE 32 IN GRAB BAR - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5MEPS36	MODERN ELEGANCE 36 IN GRAB BAR - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5MEPS42	MODERN ELEGANCE 42 IN GRAB BAR - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5MEPS48	MODERN ELEGANCE 48 IN GRAB BAR - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5IEPS12	INFINITE ELEGANCE 12 IN GRAB BAR - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5IEPS18	INFINITE ELEGANCE 18 IN GRAB BAR - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5IEPS24	INFINITE ELEGANCE 24 IN GRAB BAR - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5IEPS30	INFINITE ELEGANCE 30 IN GRAB BAR - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5IEPS32	INFINITE ELEGANCE 32 IN GRAB BAR - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5IEPS36	INFINITE ELEGANCE 36 IN GRAB BAR - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5IEPS42	INFINITE ELEGANCE 42 IN GRAB BAR - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5IEPS48	INFINITE ELEGANCE 48 IN GRAB BAR - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5PS12	STANDARD 12 IN GRAB BAR - SNAP FLANGE - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5PS18	STANDARD 18 IN GRAB BAR - SNAP FLANGE - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5PS24	STANDARD 24 IN GRAB BAR - SNAP FLANGE - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5PS30	STANDARD 30 IN GRAB BAR - SNAP FLANGE - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5PS32	STANDARD 32 IN GRAB BAR - SNAP FLANGE - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5PS36	STANDARD 36 IN GRAB BAR - SNAP FLANGE - HAND POLISHED STAINLESS STEEL (CHROME)		

ITEM #	DESCRIPTION	PICTURE	COUNT
WGB5PS42	STANDARD 42 IN GRAB BAR - SNAP FLANGE - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5PS48	STANDARD 48 IN GRAB BAR - SNAP FLANGE - HAND POLISHED STAINLESS STEEL (CHROME)		
WGB5SS12	STANDARD 12 IN GRAB BAR - SNAP FLANGE - SATIN STAINLESS STEEL (BRUSHED NICKEL)		
WGB5SS18	STANDARD 18 IN GRAB BAR - SNAP FLANGE - SATIN STAINLESS STEEL (BRUSHED NICKEL)		
WGB5SS24	STANDARD 24 IN GRAB BAR - SNAP FLANGE - SATIN STAINLESS STEEL (BRUSHED NICKEL)		
WGB5SS30	STANDARD 30 IN GRAB BAR - SNAP FLANGE - SATIN STAINLESS STEEL (BRUSHED NICKEL)		
WGB5SS32	STANDARD 32 IN GRAB BAR - SNAP FLANGE - SATIN STAINLESS STEEL (BRUSHED NICKEL)		
WGB5SS36	STANDARD 36 IN GRAB BAR - SNAP FLANGE - SATIN STAINLESS STEEL (BRUSHED NICKEL)		
WGB5SS42	STANDARD 42 IN GRAB BAR - SNAP FLANGE - SATIN STAINLESS STEEL (BRUSHED NICKEL)		
WGB5SS48	STANDARD 48 IN GRAB BAR - SNAP FLANGE - SATIN STAINLESS STEEL (BRUSHED NICKEL)		
ADA SHOWER SEATS AND TUB BENCHES - SEE COVER PAGE NOTE			
WSLX260225PWREV	26 IN X 22.5 IN REVERSIBLE L-SHAPED SHOWER SEAT - PHENOLIC WHITE		
WSLX280225PWREV	28 IN X 22.5 IN REVERSIBLE L-SHAPED SHOWER SEAT - PHENOLIC WHITE		
WSLX320225PWREV	32 IN X 22.5 IN REVERSIBLE L-SHAPED SHOWER SEAT - PHENOLIC WHITE		
WSBX240150PW	24 IN X 15 IN RECTANGULAR SHOWER SEAT - PHENOLIC WHITE		
WHPTB265150PW	26.5 IN X 15 IN PORTABLE TUB BENCH - STANDARD TUB HEIGHT - PHENOLIC WHITE		
WBTE290150PW	29 IN X 15 IN END MOUNT TUB BENCH - PHENOLIC WHITE		

ITEM #	DESCRIPTION	PICTURE	COUNT
WBTES290150PW	29 IN X 15 IN END MOUNT TUB BENCH - WITH SKIS - PHENOLIC WHITE		
WBTR290185PW	29 IN X 18.5 IN REAR MOUNT TUB BENCH - PHENOLIC WHITE		
WBTRS290185PW	29 IN X 18.5 IN REAR MOUNT TUB BENCH - WITH SKIS - PHENOLIC WHITE		
SHOWER PANELS - BWH RECOMMENDS THE HERRINGBONE AND 3" X 6" SUBWAY - ADDITIONAL PATTERNS, SIZES, AND FINISHES ARE AVAILABLE UPON REQUEST			
WWPLHEGSW963060	WINGITS WALLZ PANEL SYSTEM - HERRINGBONE - SOLID WHITE - GLOSS - HEIGHT: 96" (2) 30" SIDES & (1) 60" CENTER		
WWPLHEGSW843060	WINGITS WALLZ PANEL SYSTEM - HERRINGBONE - SOLID WHITE - GLOSS - HEIGHT: 84" (2) 30" SIDES & (1) 60" CENTER		
WWPLSBGSW963060	WINGITS WALLZ PANEL SYSTEM - 3" X 6" SUBWAY - SOLID WHITE - GLOSS - HEIGHT: 96" (2) 30" SIDES & (1) 60" CENTER		
WWPLSBGSW843060	WINGITS WALLZ PANEL SYSTEM - 3" X 6" SUBWAY - SOLID WHITE - GLOSS - HEIGHT: 84" (2) 30" SIDES & (1) 60" CENTER		
SHOWER PANS - ADDITIONAL SIZES AND FINISHES ARE AVAILABLE UPON REQUEST			
WWPNCD3060MSW	WINGITS WALLZ 30 IN X 60 IN - SHOWER PAN - CENTER DRAIN - SOLID WHITE MATTE FINISH		
WWPNTDOL3060MSW	WINGITS WALLZ 30 IN X 60 IN - SHOWER PAN - TRENCH DRAIN LEFT HAND - SOLID WHITE MATTE FINISH		
WWPNTDOR3060MSW	WINGITS WALLZ 30 IN X 60 IN - SHOWER PAN - TRENCH DRAIN RIGHT HAND - SOLID WHITE MATTE FINISH		
WWPNOL30608MSW	WINGITS WALLZ 30 IN X 60 IN - SHOWER PAN - OFFSET LEFT HAND DRAIN - SOLID WHITE MATTE FINISH		

ITEM #	DESCRIPTION	PICTURE	COUNT
WWPNOR30608MSW	WINGITS WALLZ 30 IN X 60 IN - SHOWER PAN - OFFSET CENTER DRAIN - LEFT HAND - SOLID WHITE MATTE FINISH		
WWPNRICD3162MSW	WINGITS WALLZ 31 IN X 62 IN - SHOWER PAN - ROLL-IN CENTER DRAIN - SOLID WHITE MATTE FINISH		
SHOWER DOORS - ADDITIONAL STYLES, SIZES, AND FINISHES ARE AVAILABLE UPON REQUEST			
WSLANPSSE	SHOWERLUXE AVALON BYPASS SLIDING SHOWER DOOR WITH TRAMTEC - 60 IN W X 80 IN H - POLISHED STAINLESS STEEL FRAME HARDWARE AND ACCESSORIES - INCLUDES OPTION 1 SHEER-STYLE TOWEL BAR/HANDLE (SET OF 2)		
WSLATPSME	SHOWERLUXE AVANT BYPASS SLIDING SHOWER DOOR WITH BARN-STYLE ROLLERS - 60 IN W X 79 IN H - POLISHED STAINLESS STEEL FRAME HARDWARE AND ACCESSORIES - INCLUDES OPTION 5 MODERN-STYLE TOWEL BAR/HANDLE (SET OF 2)		
1 PIECE LED MIRRORS - SEE COVER PAGE NOTE			
WMO1PC2436LED	VUE MOLVANO LED 1-PIECE MIRROR 24 IN W x 36 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		
WMO1PC3636LED	VUE MOLVANO LED 1-PIECE MIRROR 36 IN W x 36 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		
WMO1PC3048LED	VUE MOLVANO LED 1-PIECE MIRROR 30 IN W x 48 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		
WMO1PC4836LED	VUE MOLVANO LED 1-PIECE MIRROR 48 IN W x 36 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		
WAL1PC2436LED	VUE ALVISTA LED 1-PIECE MIRROR 24 IN W x 36 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		
WAL1PC3636LED	VUE ALVISTA LED 1-PIECE MIRROR 36 IN W x 36 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		
WAL1PC3048LED	VUE ALVISTA LED 1-PIECE MIRROR 30 IN W x 48 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		
WAL1PC4836LED	VUE ALVISTA LED 1-PIECE MIRROR 48 IN W x 36 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		

ITEM #	DESCRIPTION	PICTURE	COUNT
WMR1PC2436LED	VUE MATIRI LED 1-PIECE MIRROR 24 IN W x 36 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		
WMR1PC3636LED	VUE MATIRI LED 1-PIECE MIRROR 36 IN W x 36 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		
WMR1PC3048LED	VUE MATIRI LED 1-PIECE MIRROR 30 IN W x 48 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		
WMR1PC4836LED	VUE MATIRI LED 1-PIECE MIRROR 48 IN W x 36 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		
WAT1PC2436LED	VUE ALTAREN LED 1-PIECE MIRROR 24 IN W x 36 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		
WAT1PC3636LED	VUE ALTAREN LED 1-PIECE MIRROR 36 IN W x 36 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		
WAT1PC3048LED	VUE ALTAREN LED 1-PIECE MIRROR 30 IN W x 48 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		
WAT1PC4836LED	VUE ALTAREN LED 1-PIECE MIRROR 48 IN W x 36 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		
WEL1PC2436LED	VUE ELETRI LED 1-PIECE MIRROR 24 IN W x 36 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		
WEL1PC3636LED	VUE ELETRI LED 1-PIECE MIRROR 36 IN W x 36 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		
WEL1PC3048LED	VUE ELETRI LED 1-PIECE MIRROR 30 IN W x 48 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		
WEL1PC4836LED	VUE ELETRI LED 1-PIECE MIRROR 48 IN W x 36 IN H WITH VINYL SAFETY BACKING - SECURITY HARDWARE - ACRYLIC DIFFUSERS - LED FLEX TAPE - WINGITS FASTENERS INCLUDED - 3000K LED		
2 PIECE LED MIRRORS - SEE COVER PAGE NOTE			
WMO2436LED	VUE MOLVANO LED MIRROR 24 IN W X 36 IN H - VINYL SAFETY BACKING - FROSTED EDGES LEFT RIGHT - SAFETY LOCKING HARDWARE - ACRYLIC SIDE DIFFUSERS WHERE REQUIRED - LED FLEX TAPE - INCLUDES MASTER ANCHORS		
WMO3636LED	VUE MOLVANO LED MIRROR 36 IN W X 36 IN H - VINYL SAFETY BACKING - FROSTED EDGES LEFT RIGHT - SAFETY LOCKING HARDWARE - ACRYLIC SIDE DIFFUSERS WHERE REQUIRED - LED FLEX TAPE - INCLUDES MASTER ANCHORS		

ITEM #	DESCRIPTION	PICTURE	COUNT
WMO3642LED	VUE MOLVANO LED MIRROR 36 IN W X 42 IN H - VINYL SAFETY BACKING - FROSTED EDGES LEFT RIGHT - SAFETY LOCKING HARDWARE - ACRYLIC SIDE DIFFUSERS WHERE REQUIRED - LED FLEX TAPE - INCLUDES MASTER ANCHORS		
WMO4836LED	VUE MOLVANO LED MIRROR 48 IN W X 36 IN H - VINYL SAFETY BACKING - FROSTED EDGES LEFT RIGHT - SAFETY LOCKING HARDWARE - ACRYLIC SIDE DIFFUSERS WHERE REQUIRED - LED FLEX TAPE - INCLUDES MASTER ANCHORS		
WAL2436LED	VUE ALVISTA LED MIRROR 24 IN W X 36 IN H - VINYL SAFETY BACKING - FROSTED BORDER - SAFETY LOCKING HARDWARE - ACRYLIC SIDE DIFFUSERS WHERE REQUIRED - LED FLEX TAPE - INCLUDES MASTER ANCHORS		
WAL3636LED	VUE ALVISTA LED MIRROR 36 IN W X 36 IN H - VINYL SAFETY BACKING - FROSTED BORDER - SAFETY LOCKING HARDWARE - ACRYLIC SIDE DIFFUSERS WHERE REQUIRED - LED FLEX TAPE - INCLUDES MASTER ANCHORS		
WAL4236LED	VUE ALVISTA LED MIRROR 42 IN W X 36 IN H - VINYL SAFETY BACKING - FROSTED BORDER - SAFETY LOCKING HARDWARE - ACRYLIC SIDE DIFFUSERS WHERE REQUIRED - LED FLEX TAPE - INCLUDES MASTER ANCHORS		
WAL4836LED	VUE ALVISTA LED MIRROR 48 IN W X 36 IN H - VINYL SAFETY BACKING - FROSTED BORDER - SAFETY LOCKING HARDWARE - ACRYLIC SIDE DIFFUSERS WHERE REQUIRED - LED FLEX TAPE - INCLUDES MASTER ANCHORS		
WMR2436LED	VUE MATIRI LED MIRROR 24 IN W X 36 IN H - VINYL SAFETY BACKING - FROSTED VERTICAL STRIPS - SAFETY LOCKING HARDWARE - LED FLEX TAPE - INCLUDES MASTER ANCHORS		
WMR3636LED	VUE MATIRI LED MIRROR 36 IN W X 36 IN H - VINYL SAFETY BACKING - FROSTED VERTICAL STRIPS - SAFETY LOCKING HARDWARE - LED FLEX TAPE - INCLUDES MASTER ANCHORS		
WMR4236LED	VUE MATIRI LED MIRROR 42 IN W X 36 IN H - VINYL SAFETY BACKING - FROSTED VERTICAL STRIPS - SAFETY LOCKING HARDWARE - LED FLEX TAPE - INCLUDES MASTER ANCHORS		
WMR4836LED	VUE MATIRI LED MIRROR 48 IN W X 36 IN H - VINYL SAFETY BACKING - FROSTED VERTICAL STRIPS - SAFETY LOCKING HARDWARE - LED FLEX TAPE - INCLUDES MASTER ANCHORS		
WAT2436LED	VUE ALTAREN LED MIRROR 24 IN W X 36 IN H - VINYL SAFETY BACKING - FROSTED INTERIOR WITH MIRRORED BORDER - SAFETY LOCKING HARDWARE - LED FLEX TAPE - INCLUDES MASTER ANCHORS		
WAT3636LED	VUE ALTAREN LED MIRROR 36 IN W X 36 IN H - VINYL SAFETY BACKING - FROSTED INTERIOR WITH MIRRORED BORDER - SAFETY LOCKING HARDWARE - LED FLEX TAPE - INCLUDES MASTER ANCHORS		
WAT3642LED	VUE ALTAREN LED MIRROR 36 IN W X 42 IN H - VINYL SAFETY BACKING - FROSTED INTERIOR WITH MIRRORED BORDER - SAFETY LOCKING HARDWARE - LED FLEX TAPE - INCLUDES MASTER ANCHORS		

ITEM #	DESCRIPTION	PICTURE	COUNT
WAT4836LED	VUE ALTAREN LED MIRROR 48 IN W X 36 IN H - VINYL SAFETY BACKING - FROSTED INTERIOR WITH MIRRORED BORDER - SAFETY LOCKING HARDWARE - LED FLEX TAPE - INCLUDES MASTER ANCHORS AND 90 DEGREE PLUG		
COMPLETE CLOSET SYSTEMS - SEE COVER PAGE NOTE			
WEGCSSST36	ELITE GALLERY COMPLETE CLOSET SHELF - 36 IN W X 13 IN D - STUDIO TEAK - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGCSSBW36	ELITE GALLERY COMPLETE CLOSET SHELF - 36 IN W X 13 IN D - BEIGEWOOD - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGCSSSW36	ELITE GALLERY COMPLETE CLOSET SHELF - 36 IN W X 13 IN D - SKYLINE WALNUT - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGCSSFC36	ELITE GALLERY COMPLETE CLOSET SHELF - 36 IN W X 13 IN D - FAWN CYPRESS - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGCSSWO36	ELITE GALLERY COMPLETE CLOSET SHELF - 36 IN W X 13 IN D - WAREHOUSE OAK - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGCSSADAST3620	ELITE GALLERY COMPLETE ADA STEP CLOSET SHELVES - 36 IN W X 15 IN D - STUDIO TEAK - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGCSSADABW3620	ELITE GALLERY COMPLETE ADA STEP CLOSET SHELVES - 20 IN W X 15 IN D - BEIGEWOOD - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGCSSADASW3620	ELITE GALLERY COMPLETE ADA STEP CLOSET SHELVES - 36 IN W X 15 IN D - SKYLINE WALNUT - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGCSSADAF3620	ELITE GALLERY COMPLETE ADA STEP CLOSET SHELVES - 36 IN W X 15 IN D - FAWN CYPRESS - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGCSSADAWO3620	ELITE GALLERY COMPLETE ADA STEP CLOSET SHELVES - 36 IN W X 15 IN D - WAREHOUSE OAK - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGCCSPADAST7260	ELITE GALLERY COMPLETE CLOSET SYSTEM - 72 IN W X 13 IN D - STUDIO TEAK - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGCCSPADABW7260	ELITE GALLERY COMPLETE CLOSET SYSTEM - 72 IN W X 13 IN D - BEIGEWOOD - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGCCSPADASW7260	ELITE GALLERY COMPLETE CLOSET SYSTEM - 72 IN W X 13 IN D - SKYLINE WALNUT - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGCCSPADAF7260	ELITE GALLERY COMPLETE CLOSET SYSTEM - 72 IN W X 13 IN D - FAWN CYPRESS - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGCCSPADAWO7260	ELITE GALLERY COMPLETE CLOSET SYSTEM - 72 IN W X 13 IN D - WAREHOUSE OAK - SATIN TRIROD - INCLUDES MASTER ANCHORS		

ITEM #	DESCRIPTION	PICTURE	COUNT
WEGIBST	ELITE GALLERY IB FREE CLOSET SYSTEM - 24 IN W X 15.5 IN D-STUDIO TEAK - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGIBBW	ELITE GALLERY IB FREE CLOSET SYSTEM - 24 IN W X 15.5 IN D-BEIGEWOOD - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGIBW	ELITE GALLERY IB FREE CLOSET SYSTEM - 24 IN W X 15.5 IN D-SKYLINE WALNUT - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGIBFC	ELITE GALLERY IB FREE CLOSET SYSTEM - 24 IN W X 15.5 IN D-FAWN CYPRESS - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGIBWO	ELITE GALLERY IB FREE CLOSET SYSTEM - 24 IN W X 15.5 IN D-WAREHOUSE OAK - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGCCSCPST5460	ELITE GALLERY COMPLETE CLOSET SYSTEM - 54 IN W X 13 IN D-STUDIO TEAK - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGCCSCPBW5460	ELITE GALLERY COMPLETE CLOSET SYSTEM - 54 IN W X 13 IN D-BEIGEWOOD - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGCCSCPSW5460	ELITE GALLERY COMPLETE CLOSET SYSTEM - 54 IN W X 13 IN D-SKYLINE WALNUT - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGCCSCPFC5460	ELITE GALLERY COMPLETE CLOSET SYSTEM - 54 IN W X 13 IN D-FAWN CYPRESS - SATIN TRIROD - INCLUDES MASTER ANCHORS		
WEGCCSCPWO5460	ELITE GALLERY COMPLETE CLOSET SYSTEM - 54 IN W X 13 IN D-WAREHOUSE OAK - SATIN TRIROD - INCLUDES MASTER ANCHORS		
INSTALLATION ACCESSORIES - OPTIONAL IF ADEQUATE STRUCTURAL BLOCKING IS NOT AVAILABLE			
RENKIT	CONTOUR OVAL SHOWER ROD INSTALLATION KIT FOR RENOVATION		
GBW40	STAINLESS STEEL STANDARD GRAB BAR FASTENER WITH 1/4 IN-20 X 4 IN SCREW		
GBWME40	STAINLESS STEEL DESIGNER GRAB BAR FASTENER WITH 1/4 IN-20 X 4 IN SCREW		
MAW35-2	MASTER ANCHOR FASTENER WITH 8-32 X 3.5 IN PAN HEAD SCREW - SET OF 2		
WA200GT54	APACHE 1.25 IN CARBIDE DRILL BIT FOR WINGITS STAINLESS STEEL GRAB BAR FASTENERS		

ITEM #	DESCRIPTION	PICTURE	COUNT
WA200GT34	APACHE 0.75 IN CARBIDE DRILL BIT FOR WINGITS MASTER ANCHOR FASTENERS		

BATH ACCESSORIES



NOTES:

APPROVED FINISHES ARE POLISHED AND SATIN NICKEL

IF SATIN NICKEL IS REQUIRED, REPLACE THE
PS WITH SN IN THE PART NUMBER

PRICING IS THE SAME FOR BOTH FINISHES

WINGITS®

WINGITS®

CONTOUR™ OVAL

Model:

WOCON5

5' Curved Shower Rod (6" bow)

Part Numbers:

WOCONPS5NC

5' Curved Shower Rod
Polished Finish

WOCONSN5NC

5' Curved Shower
Rod Satin Finish

WOCONPS5REN

5' Curved Shower Rod
Polished Finish

WOCONSN5REN

5' Curved Shower Rod
Satin Finish



Features:

- No Unsightly Joints or Hinges - just Clean, Flowing Lines
- Hidden Multi-vector Interlock Keeps the Rod from Sagging
- Structure, Durability, and Ease of Use for All Curtain Types
- Simplest Installation of ALL Curved Rods
- Can Install in Drywall with WINGITS® Fasteners
- No Exposed "hinge" to Clean or Re-tighten

MECHANICAL DATA

Height: 1.5" (38mm)

Length: Adjusts from 58.5" (1486mm) to 60" (1524mm) without modifying tube.

Depth: 6" (152mm)

COMPOSITION

Tube: 22 gauge stainless steel **Bracket:** Chrome plated zinc

INSTALLATION

Includes Stainless Steel Screws to Install into **Adequate Structural Blocking**.
Can Be Installed with WINGITS® Fasteners when blocking is not available.


RECOMMENDED INTEGRATION

Install into **Adequate Structural Blocking** or with WINGITS® Fasteners.
WINGITS® CONTOUR™ design is available in all Bath Accessories.




© Copyright 2023 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Front




Top




*Rod can be cut if further modification is needed



Bracket Front





Bracket Top






Bracket Side


Included Hardware for New Construction (NC Kit)



Included Hardware for Renovation (RENKIT)



Waterproof Adhesive Template (2)



WINGITS* MASTER Anchor (MAW35) (2)

WINGITS® CONTOUR TriRod™

Model:
WOCONST

Part Numbers:

WOCONSTPS3

3' Towel Bar/Hang Rod
Includes Mounting Brackets
Polished Finish

WOCONSTPS5

5' Straight Shower/Closet Rod
Includes Mounting Brackets
Polished Finish

WOCONSTPS6

6' Straight Shower/Closet Rod
Includes Mounting Brackets
Polished Finish

WOCONSTSN3

3' Towel Bar/Hang Rod
Includes Mounting Brackets
Satin Finish

WOCONSTSN5

5' Straight Shower/Closet Rod
Includes Mounting Brackets
Satin Finish


WOCONSTSN6

6' Straight Shower/Closet Rod
Includes Mounting Brackets
Satin Finish



Features:

- 3-in-1 Rod can be used as Towel Bar, Shower Rod, or Closet Rod
- Can be Modified to Accommodate any Closet or Bathroom up to 8'
- Simplest Installation of ALL Straight Rods with Only 2 Mounting Points - Install in Drywall with WINGITS® Patented Fastening System
- Spring Feature Bracket-Cover Interlock Secures Rod and Creates Seamless Aesthetic



MECHANICAL DATA

Height: 1.3" (33mm)
Length: see part number
Oval Tube Diameter: 1" (25mm)

COMPOSITION

18/8 (304) Stainless Steel

INSTALLATION


Includes Stainless Steel Screws to Install into **Adequate Structural Blocking**.
Can Be Installed with WINGITS® Fasteners when blocking is not available.

RECOMMENDED INTEGRATION



Install into **Adequate Structural Blocking** or with WINGITS® Fasteners.
WINGITS® CONTOUR™ design is available in all Bath Accessories.

© Copyright 2025 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Front



Top




Mounting Bracket Front



Mounting Bracket Back

Optional Hardware
(Sold Separately)



WINGITS® MASTER Anchor (MAW35FH)
(2)

WINGITS®

MODERN Elegance™

Stainless Steel Towel Bar

Model:

WMETB

Part Numbers:

WMETBPS6

6" Polished Finish

WMETBSN6

6" Satin Finish

WMETBPS12

12" Polished Finish

WMETBSN12

12" Satin Finish

WMETBPS18

18" Polished Finish

WMETBSN18

18" Satin Finish

WMETBPS24

24" Polished Finish

WMETBSN24

24" Satin Finish

WMETBPS30

30" Polished Finish

WMETBSN30

30" Satin Finish

WMETBPS36

36" Polished Finish

WMETBSN36

36" Satin Finish



Features:

- Modern design combined with **PATENTED BridgeBind™** Manufacturing creates the ultimate in bath accessories
- No Lines for Dirt to Collect - Maintenance Free
- Hand Polished Stainless Steel



PATENTED

BridgeBind™ Technology



A steel dowel is expertly embedded in a stainless steel tube then arc welded to the tube's far side for the perfect structural synthesis

MECHANICAL DATA

Length: see part number

Height: 2" (51mm)

Depth: 3" (76mm)

Tube Diameter: 0.875" (22mm)

COMPOSITION

18-8 (304) Stainless Steel

INSTALLATION

Includes Stainless Steel Screws to Install into **Adequate Structural Blocking**.

Includes 3M® VHB Waterproof Tape.

Can Be Installed with WINGITS® Fasteners when blocking is not available.


RECOMMENDED INTEGRATION

Install into **Adequate Structural Blocking** or with WINGITS® Fasteners.


WINGITS® MODERN Elegance™ design is available in all Bath Accessories.

© Copyright 2022 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Top




Front




Side



Included Hardware



Optional Hardware
(Sold Separately)



WINGITS®

INFINITE Elegance™

Stainless Steel Towel Bar

Model:

WIETB

Part Numbers:

WIETBPS6

6" Polished Finish

WIETBSN6

6" Satin Finish

WIETBPS12

12" Polished Finish

WIETBSN12

12" Satin Finish

WIETBPS18

18" Polished Finish

WIETBSN18

18" Satin Finish

WIETBPS24

24" Polished Finish

WIETBSN24

24" Satin Finish

WIETBPS30

30" Polished Finish

WIETBSN30

30" Satin Finish

WIETBPS36

36" Polished Finish

WIETBSN36

36" Satin Finish



Features:

- Fully HeliArc® welded Structural Stainless Steel sculpted for Beauty, Function & Durability
- No Lines for Dirt to Collect - Maintenance Free
- Hand Polished Stainless Steel



MECHANICAL DATA

Length: see part number

Height: 2" (51mm)

Depth: 3.125" (79mm)

Tube Diameter: 0.625" (16mm)

COMPOSITION

18-8 (304) Stainless Steel

INSTALLATION

Includes Stainless Steel Screws to Install into **Adequate Structural Blocking**.

Includes 3M® VHB Waterproof Tape.

Can Be Installed with WINGITS® Fasteners when blocking is not available.


RECOMMENDED INTEGRATION

Install into **Adequate Structural Blocking** or with WINGITS® Fasteners.


WINGITS® INFINITE™ design is available in all Bath Accessories.

© Copyright 2022 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Front




Back




Top



Included Hardware



Optional Hardware
(Sold Separately)



WINGITS®

MODERN Elegance™

Model:

WMEHVTPH

Horizontal/Vertical Toilet Paper Holder

Part Numbers:

WMEHVTPHPS
Polished Finish

WMEHVTPHSN
Satin Finish



Features:

- Modern design combined with **PATENTED BridgeBind™** Manufacturing creates the ultimate in bath accessories
- No Lines for Dirt to Collect - Maintenance Free
- Hand Polished Stainless Steel

MECHANICAL DATA

Length/Height: 6" (152mm)
Height: 2" (51mm)
Depth: 3" (76mm)
Tube Diameter: 0.875" (22mm)

COMPOSITION

18-8 (304) Stainless Steel

INSTALLATION

Includes Stainless Steel Screws to Install into **Adequate Structural Blocking**.
Includes 3M® VHB Waterproof Tape.
Can Be Installed with WINGITS® Fasteners when blocking is not available.

RECOMMENDED INTEGRATION

PROPER INSTALLATION REQUIRES use of 3M® VHB Waterproof Tape to stop rotation and **MUST** be installed into **Adequate Structural Blocking** or with optional WINGITS® Fasteners.

WINGITS® MODERN™ design is available in all Bath Accessories.

PATENTED


BridgeBind™ Technology




A steel dowel is expertly embedded in a stainless steel tube then arc welded to the tube's far side for the perfect structural synthesis

© Copyright 2022 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Front




Back




Top




Side



Included Hardware



Optional Hardware
(Sold Separately)



WINGITS®

INFINITE Elegance™

Horizontal/Vertical Toilet Paper Holder

Model:

WIEHVTPH

Part Numbers:

WIEHVTPHPS
Polished FinishWIEHVTPHSN
Satin Finish

Features:

- Fully HeliArc® welded Structural Stainless Steel sculpted for Beauty, Function & Durability
- Minimal, Elegant Design
- Hand Polished Stainless Steel

**MECHANICAL DATA**

Length/Height: 6.75" (171mm)

Height: 2" (51mm)

Depth: 3" (76mm)

Tube Diameter: 0.625" (16mm)

COMPOSITION

18-8 (304) Stainless Steel

INSTALLATIONIncludes Stainless Steel Screws to Install into **Adequate Structural Blocking**.

Includes 3M® VHB Waterproof Tape.

Can Be Installed with WINGITS® Fasteners when blocking is not available.


RECOMMENDED INTEGRATION

PROPER INSTALLATION REQUIRES use of 3M® VHB Waterproof Tape to stop rotation and **MUST** be installed into **Adequate Structural Blocking** or with optional WINGITS® Fasteners.


WINGITS® INFINITE™ design is available in all Bath Accessories.

© Copyright 2022 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Front




Side




Top



Included Hardware



Optional Hardware
(Sold Separately)



WINGITS®

MODERN Elegance™

Toilet Paper Holder

Model:


WMETPH

Part Numbers:

WMETPHPS
Polished FinishWMETPHSN
Satin Finish

Features:

- Modern design combined with **PATENTED** BridgeBind™ Manufacturing creates the ultimate in bath accessories
- Unparalleled Strength
- Hand Polished Stainless Steel

**MECHANICAL DATA****Length:** 7.5" (191mm)**Diameter:** 2" (51mm)**Depth:** 3.625" (92mm)**COMPOSITION**

18-8 (304) Stainless Steel

INSTALLATIONIncludes Stainless Steel Screws to Install into **Adequate Structural Blocking**.

Includes 3M® VHB Waterproof Tape.

Can Be Installed with WINGITS® Fasteners when blocking is not available.


RECOMMENDED INTEGRATION

PROPER INSTALLATION REQUIRES use of 3M® VHB Waterproof Tape to stop rotation and **MUST** be installed into **Adequate Structural Blocking** or with optional WINGITS® Fasteners.


WINGITS® MODERN™ design is available in all Bath Accessories.

© Copyright 2022 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Front




Back




Top



Included Hardware



Optional Hardware
(Sold Separately)



WINGITS®

MODERN Elegance™

Model:

WMEDHTPH

Double Horizontal Toilet Paper Holder


Part Numbers:

WMEDHTPHPS
Polished Finish

WMEDHTPHSN
Satin Finish



Wall



Features:

- Modern design combined with **PATENTED BridgeBind™** Manufacturing creates the ultimate in bath accessories
- Minimal, Elegant Design
- Hand Polished Stainless Steel

MECHANICAL DATA

Length: 13" (330mm)
Diameter: 2" (51mm)
Depth: 3" (76mm)
Tube Diameter: 0.625" (16mm)

COMPOSITION

18-8 (304) Stainless Steel

INSTALLATION

Includes Stainless Steel Screws to Install into **Adequate Structural Blocking**.
 Includes 3M® VHB Waterproof Tape.
 Can Be Installed with WINGITS® Fasteners when blocking is not available.

RECOMMENDED INTEGRATION

Install into **Adequate Structural Blocking** or with WINGITS® Fasteners.
 WINGITS® MODERN™ design is available in all Bath Accessories.

PATENTED


BridgeBind™ Technology




A steel dowel is expertly embedded in a stainless steel tube then arc welded to the tube's far side for the perfect structural synthesis

© Copyright 2022 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Front





Back




Top



Included Hardware



Optional Hardware (Sold Separately)



(2)

WINGITS®

MODERN Elegance™

Model:

WMEDTPH

Part Numbers:


WMEDTPHPS
Polished Finish

WMEDTPHSN
Satin Finish



Features:

- Modern design combined with **PATENTED** BridgeBind™ Manufacturing creates the ultimate in bath accessories
- Minimal, Elegant Design
- Hand Polished Stainless Steel



MECHANICAL DATA

Length: 13" (330mm)
Diameter: 2" (51mm)
Depth: 3.625" (92mm)

COMPOSITION

18-8 (304) Stainless Steel

INSTALLATION

Includes Stainless Steel Screws to Install into **Adequate Structural Blocking**.
Includes 3M® VHB Waterproof Tape.
Can Be Installed with WINGITS® Fasteners when blocking is not available.


RECOMMENDED INTEGRATION

PROPER INSTALLATION REQUIRES use of 3M® VHB Waterproof Tape to stop rotation and **MUST** be installed into **Adequate Structural Blocking** or with optional WINGITS® Fasteners.


WINGITS® MODERN™ design is available in all Bath Accessories.

© Copyright 2022 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Front




Back




Top



Included Hardware



Optional Hardware (Sold Separately)



WINGITS®

MODERN Elegance™

Stainless Steel Double Robe Hook

Model:

WMEDRH

Part Numbers:

WMEDRHPS
Polished Finish

WMEDRHSN
Satin Finish



Features:

- Modern design combined with **PATENTED BridgeBind™** Manufacturing creates the ultimate in bath accessories
- No Lines for Dirt to Collect - Maintenance Free
- Hand Polished Stainless Steel

MECHANICAL DATA

Length: 3.125" (80mm)
Depth: 2.5" (64mm)
Height: 2" (51mm)
Tube Diameter: 0.625" (16mm)

COMPOSITION

18-8 (304) Stainless Steel

INSTALLATION

Includes Stainless Steel Screw to Install into **Adequate Structural Blocking**.
Includes 3M® VHB Waterproof Tape.
Can Be Installed with WINGITS® Fasteners when blocking is not available.

RECOMMENDED INTEGRATION

PROPER INSTALLATION REQUIRES use of 3M® VHB Waterproof Tape to stop rotation and **MUST** be installed into **Adequate Structural Blocking** or with optional WINGITS® Fasteners.

WINGITS® MODERN™ design is available in all Bath Accessories.

PATENTED


BridgeBind™ Technology




A steel dowel is expertly embedded in a stainless steel tube then arc welded to the tube's far side for the perfect structural synthesis

© Copyright 2022 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Front




Back




Top



Side




Included Hardware



3M® Waterproof Tape (1)



2.5" S/S Screw (1)




Allen Wrench (1)



Set Screw (1)

Optional Hardware (Sold Separately)



WINGITS® MASTER Anchor™ (MAW35)
(1)

WINGITS®

INFINITE Elegance™

Mitered Double Robe Hook

Model:

WIEDRH

Part Numbers:

WIEDRHPS
Polished FinishWIEDRHSN
Satin Finish

Features:

- Fully HeliArc® welded Structural Stainless Steel sculpted for Beauty, Function & Durability
- No Lines for Dirt to Collect - Maintenance Free
- Hand Polished Stainless Steel

**MECHANICAL DATA**

Length: 2.7" (69mm)

Depth: 2.5" (64mm)

Height: 2.3" (59mm)

Tube Diameter: 0.625" (16mm)

COMPOSITION

18-8 (304) Stainless Steel

INSTALLATIONIncludes Stainless Steel Screws to Install into **Adequate Structural Blocking**.

Includes 3M® VHB Waterproof Tape.

Can Be Installed with WINGITS® Fasteners when blocking is not available.


RECOMMENDED INTEGRATION

PROPER INSTALLATION REQUIRES use of 3M® VHB Waterproof Tape to stop rotation and **MUST** be installed into **Adequate Structural Blocking** or with optional WINGITS® Fasteners.


WINGITS® INFINITE™ design is available in all Bath Accessories.

© Copyright 2022 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Front




Back




Side



Top



Included Hardware



3M® Waterproof Tape (1)



Allen Wrench (1)




Large S/S Screw (1)



Set Screw (1)

Optional Hardware (Sold Separately)



WINGITS® MASTER Anchor™ (MAW35)
(1)

WINGITS®

MAX Elegance™

Stainless Steel Double Coat Hook


Model:

WXEDCH


Part Numbers:

WXEDCHPS
Polished Finish

WXEDCHSN
Satin Finish



Wall



Features:

- Modern design combined with **PATENTED** BridgeBind™ Manufacturing creates the ultimate in bath accessories
- No Lines for Dirt to Collect - Maintenance Free
- Hand Polished Stainless Steel

MECHANICAL DATA

Length: 3" (76mm)
Height: 2" (51mm)
Depth: 2.6875" (68mm)

COMPOSITION

18-8 (304) Stainless Steel

INSTALLATION

Includes Stainless Steel Screws to Install into **Adequate Structural Blocking**.
Includes 3M® VHB Waterproof Tape.
Can Be Installed with WINGITS® Fasteners when blocking is not available.

RECOMMENDED INTEGRATION

PROPER INSTALLATION REQUIRES use of 3M® VHB Waterproof Tape to stop rotation and **MUST** be installed into **Adequate Structural Blocking** or with optional WINGITS® Fasteners.

WINGITS® MAX Elegance™ design is available in all Bath Accessories.

PATENTED


BridgeBind™ Technology




A steel dowel is expertly embedded in a stainless steel tube then arc welded to the tube's far side for the perfect structural synthesis

© Copyright 2022 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Front




Top




Side



Included Hardware



Optional Hardware
(Sold Separately)



WINGITS®

CONTOUR™


Model:
WCONCB

8" Stainless Steel Corner Basket

Part Numbers:

WCONCBPS8
Polished Finish

WCONCBSN8
Satin Finish




Includes World's
Strongest Fastener®



Features:

- Hand Polished Stainless Steel
- Beauty, Functionality & Durability
- Unparalleled Strength when Installed with WINGITS® Fasteners - Included
- Radiused Surface Slots for Easy Cleaning



MECHANICAL DATA

Length: 8" (204mm)

Height: 2.25" (57mm)

Depth: 6" (152mm)

COMPOSITION

18-8 (304) Stainless Steel

INSTALLATION


Includes WINGITS® Fasteners for hollow-wall construction.

Includes 3M® VHB Waterproof Tape.


RECOMMENDED INTEGRATION

Install with WINGITS® Fasteners (included) for Structural Waterproof Installation into hollow walls. WINGITS® CONTOUR™ baskets have a complete line of matching Bath Accessories.


Back



Top



Included Hardware




1.5" Wall Guard
(2)



S/S Screw for Blocking
(2)



Plastic Anchor
(2)



WINGITS® MASTER Anchor
(MAW35) (2)

WINGITS®

Tubular Corner Foot Rest

Model:
WFRTC8

Part Numbers:


WFRTC8PS
Polished Finish

WFRTC8SN
Satin Finish

WFRTC8PSPE
Peened Polished Finish

WFRTC8SNPE
Peened Satin Finish

Includes World's
Strongest Fastener®



Features:

- Hand Polished Stainless Steel
- Beauty, Functionality & Durability
- Unparalleled Strength



MECHANICAL DATA

Length: 11.5" (292mm)

Height: 1.25" (32mm)

Depth: 8" (203mm)

COMPOSITION

18-8 (304) Stainless Steel

INSTALLATION


Includes 3M® VHB Waterproof Tape.

Can Be Installed with WINGITS® Fasteners when blocking is not available.


RECOMMENDED INTEGRATION

Install into **Adequate Structural Blocking** or with WINGITS® Fasteners.


Top




Front



Bottom



Included Hardware



WINGITS®

MASTER™


Model:

WMR

Structural Towel Rack

Part Numbers:

WMRBS18	WMRSN18
18" Polished Finish	18" Satin Finish
WMRBS24	WMRSN24
24" Polished Finish	24" Satin Finish




Includes World's
Strongest Fastener®




Features:

- Hand Polished Stainless Steel
- Beauty, Functionality & Durability
- Rated up to 100lbs
- Unparalleled Strength when Installed with WINGITS® Fasteners - Included




MECHANICAL DATA
Height: 8.5" (216mm)
Length: (center to center):18" (457mm) / 24" (610mm)
Depth: 10" (254mm)
COMPOSITION
18-8 (304) Stainless Steel
INSTALLATION
WINGITS® MASTER™ Towel Racks are designed <u>for walls only</u> and must be installed into Adequate Structural Blocking or with WINGITS® MASTER Anchor™ Fasteners (MAW35).
RECOMMENDED INTEGRATION
WINGITS® MASTER™ Towel Racks are designed to complement other products in the MASTER™ Collection.

© Copyright 2023 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.



INCLUDED HARDWARE



WINGITS®

INFINITE Transitional™ Towel Rack

Model:
WITTR

Part Numbers:


WITTRPS18 18" Polished Finish	WITTRSN18 18" Satin Finish
WITTRPS24 24" Polished Finish	WITTRSN24 24" Satin Finish

Includes World's
Strongest Fastener®



Features:

- Hand Polished Stainless Steel
- Beauty, Functionality & Durability
- Unparalleled Strength when Installed with WINGITS® Fasteners - Included



MECHANICAL DATA

Length: see part number

Height: 8" (203mm)

Depth: 10" (254mm)

COMPOSITION

18-8 (304) Stainless Steel

INSTALLATION

Includes WINGITS® Fasteners for hollow-wall construction.

Includes 3M® VHB Waterproof Tape.


RECOMMENDED INTEGRATION

Install with WINGITS® Fasteners (included) for Structural Waterproof Installation into hollow walls.


WINGITS® INFINITE™ design is available in all Bath Accessories.

© Copyright 2023 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Top






Front



Side



Included Hardware



WINGITS®

MODERN Elegance™

Stainless Steel Grab Bar

Model:

WGB5ME

Part Numbers:

WGB5MEPS6	WGB5MESN6
6" Polished Finish	6" Satin Finish
WGB5MEPS8	WGB5MESN8
8" Polished Finish	8" Satin Finish
WGB5MEPS12	WGB5MESN12
12" Polished Finish	12" Satin Finish
WGB5MEPS16	WGB5MESN16
16" Polished Finish	16" Satin Finish
WGB5MEPS18	WGB5MESN18
18" Polished Finish	18" Satin Finish
WGB5MEPS24	WGB5MESN24
24" Polished Finish	24" Satin Finish
WGB5MEPS30	WGB5MESN30
30" Polished Finish	30" Satin Finish
WGB5MEPS32	WGB5MESN32
32" Polished Finish	32" Satin Finish
WGB5MEPS36	WGB5MESN36
36" Polished Finish	36" Satin Finish
WGB5MEPS42	WGB5MESN42
42" Polished Finish	42" Satin Finish
WGB5MEPS48	WGB5MESN48
48" Polished Finish	48" Satin Finish
WGB5MEPS54*	WGB5MESN54*
54" Polished Finish	54" Satin Finish
WGB5MEPS60*	WGB5MESN60*
60" Polished Finish	60" Satin Finish

*Includes center support



Features:

- Modern design combined with **PATENTED** BridgeBind™ Manufacturing creates the ultimate in bath accessories
- Meets or Exceeds all Building Codes, ADA Criteria, 2010 ADAAG and 2017 ANSI Standards
- Install into Adequate Structural Blocking or with WINGITS® Patented Designer Grab Bar Fasteners GBWME40 (Rated up to 600lb in drywall with tile)
- Hand Polished Stainless Steel

MECHANICAL DATA

Length: see part number
 Height: 2" (51mm)
 Depth: 2.75" (70mm)
 Tube Diameter: 1.25" (32mm)

COMPOSITION

18-8 (304) Stainless Steel

INSTALLATION

Includes Stainless Steel Screws to Install into **Adequate Structural Blocking**.
 Includes 3M® VHB Waterproof Tape.
 Can Be Installed with WINGITS® Fasteners when blocking is not available.

RECOMMENDED INTEGRATION

Install into **Adequate Structural Blocking** or with WINGITS® Fasteners.
 WINGITS® MODERN Elegance™ design is available in all Bath Accessories.

PATENTED


BridgeBind™ Technology




A steel dowel is expertly embedded in a stainless steel tube then arc welded to the tube's far side for the perfect structural synthesis

© Copyright 2022 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Top




Front




Bottom



Included Hardware



Optional Hardware
(Sold Separately)



WINGITS®

INFINITE Elegance™

Stainless Steel Grab Bar

Model:

WGB5IE

Part Numbers:

WGB5IEPS6 6" Polished Finish	WGB5IESN6 6" Satin Finish
WGB5IEPS8 8" Polished Finish	WGB5IESN8 8" Satin Finish
WGB5IEPS12 12" Polished Finish	WGB5IESN12 12" Satin Finish
WGB5IEPS16 16" Polished Finish	WGB5IESN16 16" Satin Finish
WGB5IEPS18 18" Polished Finish	WGB5IESN18 18" Satin Finish
WGB5IEPS24 24" Polished Finish	WGB5IESN24 24" Satin Finish
WGB5IEPS30 30" Polished Finish	WGB5IESN30 30" Satin Finish
WGB5IEPS32 32" Polished Finish	WGB5IESN32 32" Satin Finish
WGB5IEPS36 36" Polished Finish	WGB5IESN36 36" Satin Finish
WGB5IEPS42 42" Polished Finish	WGB5IESN42 42" Satin Finish
WGB5IEPS48 48" Polished Finish	WGB5IESN48 48" Satin Finish
WGB5IEPS54* 54" Polished Finish	WGB5IESN54* 54" Satin Finish
WGB5IEPS60* 60" Polished Finish	WGB5IESN60* 60" Satin Finish

*Includes center support



Features:

- Fully HeliArc® welded Structural Stainless Steel sculpted for Beauty, Functionality & Durability
- Meets or Exceeds all Building Codes, ADA Criteria, 2010 ADAAG and 2017 ANSI Standards
- Install into Adequate Structural Blocking or with WINGITS® Patented Designer Grab Bar Fasteners GBWME40 (Rated up to 600lb in drywall with tile)
- Hand Polished Finish

MECHANICAL DATA

Length: see part number
Height: 2" (51mm)
Depth: 2.75" (70mm)
Tube Diameter: 1.25" (32mm)

COMPOSITION

18-8 (304) Stainless Steel

INSTALLATION

Includes Stainless Steel Screws to Install into **Adequate Structural Blocking**.
 Includes 3M® VHB Waterproof Tape.
 Can Be Installed with WINGITS® Fasteners when blocking is not available.

RECOMMENDED INTEGRATION


Install into **Adequate Structural Blocking** or with WINGITS® Fasteners.
 WINGITS® INFINITE Elegance™ design is available in all Bath Accessories.

Wall




© Copyright 2022 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Top




Front




Bottom



Included Hardware



Optional Hardware
(Sold Separately)



WINGITS®

STANDARD™

Stainless Steel Grab Bar

Model:
WGB5


Part Numbers:

WGB5PS12 12" Polished Finish	WGB5SS12 12" Satin Finish
WGB5PS16 16" Polished Finish	WGB5SS16 16" Satin Finish
WGB5PS18 18" Polished Finish	WGB5SS18 18" Satin Finish
WGB5PS24 24" Polished Finish	WGB5SS24 24" Satin Finish
WGB5PS30 30" Polished Finish	WGB5SS30 30" Satin Finish
WGB5PS32 32" Polished Finish	WGB5SS32 32" Satin Finish
WGB5PS36 36" Polished Finish	WGB5SS36 36" Satin Finish
WGB5PS42 42" Polished Finish	WGB5SS42 42" Satin Finish
WGB5PS48 48" Polished Finish	WGB5SS48 48" Satin Finish



Features:


- Tri-linear Buff Technology Results in Unmatched Mirror Finish
- All parts are 18-8 (304) Stainless Steel - tubing is 18-Gauge (1.2mm)
- Mounting Flanges are 3" (76mm) in diameter, 3/32" (2.5mm) thick, HeliArc welded to the tubing
- Mounting Flanges have 5 holes for attachment to WINGITS® Fasteners or Adequate Structural Blocking
- Meets or Exceeds all Building Codes, ADA Criteria, 2010 ADAAG and 2017 ANSI Standards
- 800lb Load Capability




MECHANICAL DATA
Length: see part number
Height: 3" (76mm)
Depth: 2.75" (70mm)
Tube Diameter: 1.25" (32mm)
COMPOSITION
18-8 (304) Stainless Steel
INSTALLATION
Includes Stainless Steel Screws to Install into Adequate Structural Blocking . Can Be Installed with WINGITS® Fasteners when blocking is not available.
RECOMMENDED INTEGRATION
Install into Adequate Structural Blocking or with WINGITS® Fasteners.

© Copyright 2022 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

Front




Top



Holes - 0.25" (6mm)
Slots - 0.25" (6mm) x 0.5" (13mm)
(used when installing with the
WINGITS® Grab Bar Fastening
System)
Bolt Circle is 2.3125" (59mm)

Grab Bar Mounting Flange

← — — — —
Grab Bar Tube
← — — — —



Snap-on Cover



Included Hardware



2.5" S/S Screw (6)

Optional Hardware (Sold Separately)



WINGITS® Grab Bar
Fastener (GBW40) (2)




WINGITS® Reverse Grab Bar
Fastener (SRGBW40) (2)



WINGITS® Structurally
Engineered (RES) Grab Bar
Fastener (RESGBW35) (2)

ADA

SHOWER SEATS & TUB BENCHES



NOTES:

SHOWER SEATS ARE ALLOWED 3" FROM ENTRY TO FRONT EDGE OF THE SEAT AND
NO MORE THAN 1.5" ON THE ADJACENT CORNER

HEIGHT REQUIREMENT FOR SHOWER AND TUB IS 17" MINIMUM TO 19"
MAXIMUM ABOVE FINISHED FLOOR (AFF)

WINGITS®

WINGITS®

Reversible Shower Seat

Phenolic Top - White, Matte Black, or Teak Finish

Lift-Assist

Model:

WSLX

Part Numbers:

WSLX260225xxREV
26" x 22.5" Shower Seat

WSLX280225xxREV
28" x 22.5" Shower Seat

WSLX320225xxREV
32" x 22.5" Shower Seat

Finish Options:



PHENOLIC WHITE = PW



PHENOLIC TEAK = PT



PHENOLIC BLACK = PMB



NAUGAHYDE WHITE = NW



MATTE BLACK = MB

- Matte Black Finish
Available on the Frame Assembly
- Exceeds minimum load requirement per the 2010 ADAAG and 2017 ANSI Standards
- Available in White, Black, or Teak Phenolic and 2" padded Naugahyde
- Adjustable Rubber Feet to adjust to all surfaces
- Includes Lift-Assist Technology – ONLY seat to comply with ADA Operation Code 309.4 of less than 5 lbs. to operate
- 18-8 (304) Stainless Steel Frame Assembly/Phenolic material for the tops
- Rated up to 800 lbs. when installed to adequate structural blocking or WITH WINGITS' GBW40 FASTENERS (in drywall & tile)
- Weight transfers to the floor through the legs to evenly distribute the load



MECHANICAL DATA

Height: 17" - 18.5"
Depth: 22.5" (572mm)
Length: see part number

COMPOSITION

18-8 (304) Stainless Steel with Phenolic Top

INSTALLATION

WINGITS® Folding Shower Seats are designed to hold live loads in walls only and **must be installed into either Adequate Structural Blocking or with WINGITS® Grab Bar Fasteners (GBW40)**



Use Adequate Structural Blocking




WINGITS® Fasteners



Teak Phenolic

© Copyright 2023 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

Front



Side




Slots for Speed Installation into WingIts® Fastener (GBW40)

3 Circular holes for installation into Adequate Structural Blocking



Optional Hardware



WINGITS® Grab Bar Fastener (GBW40)
(2)

WINGITS®

Rectangular Shower Seat

Phenolic Top - White, Matte Black, or Teak Finish

Lift-Assist

Model:

WSBX

Part Numbers:

WSBX220150xx
22" x 15" Shower Seat

WSBX240150xx
24" x 15" Shower Seat

WSBX280150xx
28" x 15" Shower Seat

WSBX320150xx
32" x 15" Shower Seat

Finish Options:



PHENOLIC WHITE = PW



PHENOLIC TEAK = PT



PHENOLIC BLACK = PMB



NAUGAHYDE WHITE = NW



MATTE BLACK = MB

- Matte Black Finish
Available on the Frame Assembly
- Exceeds minimum load requirement per the 2010 ADAAG and 2017 ANSI Standards
- Available in White, Black, or Teak Phenolic and 2" padded Naugahyde
- Adjustable Rubber Feet to adjust to all surfaces
- Includes Lift-Assist Technology – ONLY seat to comply with ADA Operation Code 309.4 of less than 5 lbs. to operate
- 18-8 (304) Stainless Steel Frame Assembly/Phenolic material for the tops
- Rated up to 800 lbs. when installed to adequate structural blocking or WITH WINGITS' GBW40 FASTENERS (in drywall & tile)
- Weight transfers to the floor through the legs to evenly distribute the load



MECHANICAL DATA


Depth: 15" (381mm)
Length: see part number

COMPOSITION

18-8 (304) Stainless Steel frame with Phenolic Top or Padded Naugahyde

INSTALLATION

WINGITS® Shower Seats are designed to hold live loads in walls only and **must** be installed into either **Adequate Structural Blocking** or with **WINGITS® Grab Bar Fasteners (GBW40)**



Use Adequate Structural Blocking




WINGITS® Fasteners



Teak Phenolic

© Copyright 2023 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

Front



Side




Slots for Speed Installation into WingIts® Fastener (GBW40)

3 Circular holes for installation into Adequate Structural Blocking



Optional Hardware



WINGITS® Grab Bar Fastener (GBW40)
(2)


WINGITS® Portable Tub Bench

Model:
WHPTB265150

Part Numbers:

WHPTB265150PW
26.5" Tub Bench
Phenolic White

WHPTB265150PT
26.5" Tub Bench
Phenolic Teak




Features:


- Exceeds minimum 250 lbs. Load Requirement per the 2010 ADAAG and 2017 ANSI Standards
- 18/8 (304) Stainless Steel Frame Assembly /Phenolic material for the tops - extremely durable, non-porous, anti-microbial
- Adjustable Rubber Feet to Adjust to All Surfaces
- Adjustable Tub Clamp
- Proudly made in the USA
- Physical support - helps those who have limited mobility

MECHANICAL DATA
Height: 16.125" - 17.875" (410 - 454mm)
Length: see part number
COMPOSITION
18/8 (304) Stainless Steel frame with Phenolic Top
INSTALLATION
Portable Tub Benches are designed to hold live loads.
RECOMMENDED INTEGRATION
Portable Tub Benches are designed with Adjustable Tube Clamps for rectangular tubs of various sizes. The height of the clamp assembly with the phenolic top is 3.5" (3" for the lift and 0.5" for the phenolic top). If the tub height is 13.5" – 15.5" AFF, this portable tub bench can be used and meets code of the 17" minimum – 19" maximum AFF.


Top




Bottom



Side



Front



WINGITS®

Rectangular

Permanent End Mount Tub Bench

Model:
WBTE

Part Numbers:

WBTE290150PW
29" x 15" Tub Bench
White Phenolic Finish


WBTE290150PT
29" x 15" Tub Bench
Teak Phenolic Finish

WBTE290150NW
29" x 15" Tube Bench
White Padded Naugahyde



Features:


- Comfort and safety
- Physical support - helps those who have limited mobility
- Available in a 1-Piece Phenolic material, Phenolic Slats or Padded Naugahyde
- 18/8 (304) Stainless Steel frame
- Rated up to 800 lbs.




2" from center to center Flanges are 3" in diameter
Holes are 0.25" in diameter

MECHANICAL DATA	
Height: 4.5" (115mm)	
Width: 15" (381mm)	
Depth: 29" (737mm)	
COMPOSITION	
18-8 (304) Stainless Steel frame with Phenolic Top or Padded Naugahyde	
MODALITY	
Use: Wall Installation	Load Capacity: 800 lb
INSTALLATION	
WINGITS® Floating Tub Benches are designed to hold live loads and must be installed into Adequate Structural Blocking or with WINGITS® Fasteners (GBW40) when blocking is not available. The reinforcement should extend adequately past the overall height and width of the unit being installed.	
RECOMMENDED INTEGRATION	
Install into Adequate Structural Blocking or with WINGITS® Fasteners (GBW40).	


**Side
(Folded Up)**





Top



Front




Side



**Slots for Speed Installation into
WingIts® Fastener (GBW40)**

3 Circular holes for installation into
Adequate Structural Blocking

Optional Hardware



WINGITS® Grab Bar Fastener (GBW40)
(2)

WINGITS®

Rectangular

Permanent End Mount Tub Bench with SKIS

Model:

WBTES

Part Numbers:

WBTES290150PW
29" x 15" Tub Bench
White Phenolic Finish


WBTES290150PT
29" x 15" Tub Bench
Teak Phenolic Finish

WBTES290150NW
29" x 15" Tub
Bench White
Padded Naugahyde



Features:


- Comfort and Safety
- Physical Support - helps those who have limited mobility
- Available in 1-Piece Phenolic material, Phenolic Slats or Padded Naugahyde
- 18-8 (304) Stainless Steel Frame with 3" Skis
- Exceeds 250 lb load rating




2" from center to center Flanges are 3" in diameter
Holes are 0.25" in diameter

MECHANICAL DATA	
Height: 4.5" (115mm)	
Width: 15" (381mm)	
Depth: 29" (737mm)	
COMPOSITION	
18-8 (304) Stainless Steel frame with Phenolic Top or Padded Naugahyde	
MODALITY	
Use: Wall Installation	Load Capacity: 800 lb
INSTALLATION	
WINGITS® Floating Tub Benches are designed to hold live loads and must be installed into Adequate Structural Blocking or with WINGITS® Fasteners (GBW40) when blocking is not available. The reinforcement should extend adequately past the overall height and width of the unit being installed.	
RECOMMENDED INTEGRATION	
Install into Adequate Structural Blocking or with WINGITS® Fasteners (GBW40).	


**Side
(Folded Up)**





Top



Front




Side



**Slots for Speed Installation into
WingIts® Fastener (GBW40)**

3 Circular holes for installation into
Adequate Structural Blocking

Optional Hardware



WINGITS® Grab Bar Fastener (GBW40)
(2)

WINGITS®

Rectangular Permanent Rear Mount Tub Bench

Model:
WBTR

Part Numbers:

WBTR290150PW
29" x 15" Tub Bench
White Phenolic Finish

WBTR290185PW
29" x 18.5" Tub Bench
White Phenolic Finish

WBTR290150PT
29" x 15" Tub Bench
Teak Phenolic Finish

WBTR290185PT
29" x 18.5" Tub Bench
Teak Phenolic Finish


WBTR290150NW
29" x 15" Tub Bench
White Padded
Naugahyde

WBTR290185NW
29" x 18.5" Tub Bench
White Padded
Naugahyde



Features:


- Comfort and Safety
- Physical Support - helps those who have limited mobility
- Available in 1-Piece Phenolic material, Phenolic Slats or Padded Naugahyde
- 18-8 (304) Stainless Steel Frame
- Exceeds 250 lb load rating




2" from center to center Flanges are 3" in diameter
Holes are 0.25" in diameter

MECHANICAL DATA	
Height: 3" (76mm)	
Length: 29" (737mm)	
Depth: see part number	
COMPOSITION	
18-8 (304) Stainless Steel frame with Phenolic Top or Padded Naugahyde	
MODALITY	
Use: Wall Installation	Load Capacity: 800 lb
INSTALLATION	
WINGITS® Floating Tub Benches are designed to hold live loads and must be installed into Adequate Structural Blocking or with WINGITS® Fasteners (GBW40) when blocking is not available. The reinforcement should extend adequately past the overall height and width of the unit being installed.	
RECOMMENDED INTEGRATION	
Install into Adequate Structural Blocking or with WINGITS® Fasteners (GBW40).	


**Side
(Folded Up)**





Top



Front




Side



Slots for Speed Installation into WingIts® Fastener (GBW40)

3 Circular holes for installation into
Adequate Structural Blocking

Optional Hardware



WINGITS® Grab Bar Fastener (GBW40)
(2)

WINGITS®

Model: WBTRS

Part Numbers:

WBTRS290150PW
29" x 15" Tub Bench
White Phenolic Finish

WBTRS290185PW
29" x 18.5" Tub Bench
White Phenolic Finish

WBTRS290150PT
29" x 15" Tub Bench
Teak Phenolic Finish

WBTRS290185PT
29" x 18.5" Tub Bench
Teak Phenolic Finish

WBTRS290150NW
29" x 15" Tub Bench
White Padded
Naugahyde


WBTRS290185NW
29" x 18.5" Tub Bench
White Padded
Naugahyde

Rectangular Permanent Rear Mount Tub Bench with SKIS



Features:


- Comfort and Safety
- Physical Support - helps those who have limited mobility
- Available in 1-Piece Phenolic material, Phenolic Slats or Padded Naugahyde
- 18-8 (304) Stainless Steel Frame with 3" Skis
- Exceeds 250 lb load rating




2" from center to center Flanges are 3" in diameter
Holes are 0.25" in diameter

MECHANICAL DATA	
Height: 4.5" (115mm)	
Length: 29" (737mm)	
Depth: see part number	
COMPOSITION	
18-8 (304) Stainless Steel frame with Phenolic Top or Padded Naugahyde	
MODALITY	
Use: Wall Installation	Load Capacity: 800 lb
INSTALLATION	
WINGITS® Floating Tub Benches are designed to hold live loads and must be installed into Adequate Structural Blocking or with WINGITS® Fasteners (GBW40) when blocking is not available. The reinforcement should extend adequately past the overall height and width of the unit being installed.	
RECOMMENDED INTEGRATION	
Install into Adequate Structural Blocking or with WINGITS® Fasteners (GBW40).	


**Side
(Folded Up)**





Top



Front




Side



Slots for Speed Installation into WingIts® Fastener (GBW40)

3 Circular holes for installation into
Adequate Structural Blocking

Optional Hardware



WINGITS® Grab Bar Fastener (GBW40)
(2)

CAST MARBLE

PANELS, PANS, & ACCESSORIES




NOTES:

BWH RECOMMENDS THE HERRINGBONE AND 3" X 6" SUBWAY
ADDITIONAL PATTERNS, SIZES, AND FINISHES ARE AVAILABLE UPON REQUEST


WINGITS®

CAST MARBLE PATTERNS

PANEL OPTIONS *Contact sales for more info about pattern and color options: sales@wingits.com*




2x14 Bamboo



3x6 Subway



4x8




4x12 Smooth Tile



4x15 Confetti




6x4x24 Vision




6x24 Contemporary



6x24 Linear Listello




6x24 Vision



10x20 Vertical



12x24 Contemporary




Chevron FFI




Chevron H4



Dune




Fan



Herringbone



Interval



Stars




Theory



Ventana




Vertical Vision



1x12 Vision




2x10 Vertical




4x12 Vertical Staggered



6x24 Modern




COLOR OPTIONS *(matte and glossy finishes available)*




Firefox Beige




Ivory



Light Gray



Solid Bone



Solid White

RETURN TO TABLE OF CONTENTS

WINGITS®

Model:
WWPLHE

Example Part Number:

WWPLHEGSW963660

96 = Height

36 = Side Panel Width

60 = Back Panel Width

SW = Solid White Color


G = Gloss Finish



SW = Solid White



FB = FireFax Beige



IY = Ivory



LG = Light Grey



BN = Solid Bone

Winglts Wallz™ HERRINGBONE Panel System



Features:

- Compliant with CSA B45.5-17/IAPMO Z124-2017 & ANSI Standards
- Permanently Sealed Surface
- Will not Mold or Mildew; Sanitary, Seamless & Maintenance Free
- Easy Installation
- Solid 1-Piece Construction
- Class A Fire Rated (optional)

MECHANICAL DATA

Height: Up to 96" (Standard Heights: 72", 84", 96")

Side Panel Width: Up to 36"

Center Panel Width: Up to 60"

Thickness: 0.25" (6mm)

Linear Tolerances: ±0.25" (6mm)

COMPOSITION

Cast Marble with DuraShield™ (Marine-grade Gel Coat)

RECOMMENDED INTEGRATION


WINGITS® Wallz™ Cast Marble Panel Systems are designed to complement WINGITS® Wallz™ Cast Marble Accessories & Shower Pans.

Recommend all silicone and caulking match surround color.


All Panels are made oversized and must be measured and cut to fit on site.

© Copyright 2024 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

Side Panels



Center Panel



Note: Drawing is for representation only.
The actual piece might vary.

WINGITS®

Model:
WWPLSB

Example Part Number:

WWPLSBGSW963660

WWPLSBMSW963660

96 = Height

36 = Side Panel Width

60 = Back Panel Width

SW = Solid White Color

G = Gloss Finish


M = Matte Finish



SW = Solid White



FB = FireFax Beige



IY = Ivory




LG = Light Grey



BN = Solid Bone

Winglts Wallz™ 3x6 SUBWAY Panel System



Features:

- Compliant with CSA B45.5-17/IAPMO Z124-2017 & ANSI Standards
- Permanently Sealed Surface
- Will not Mold or Mildew; Sanitary, Seamless & Maintenance Free
- Easy Installation
- Solid 1-Piece Construction
- Class A Fire Rated (optional)

MECHANICAL DATA

Height: Up to 96" (Standard Heights: 72", 84", 96")

Side Panel Width: Up to 36"

Center Panel Width: Up to 64"

Thickness: 0.25" (6mm)

Linear Tolerances: ±0.25" (6mm)

COMPOSITION

Cast Marble with DuraShield™ (Marine-grade Gel Coat)

RECOMMENDED INTEGRATION


WINGITS® Wallz™ Cast Marble Panel Systems are designed to complement WINGITS® Wallz™ Cast Marble Accessories & Shower Pans.

Recommend all silicone and caulking match surround color.


All Panels are made oversized and must be measured and cut to fit on site.

© Copyright 2024 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

Side Panels



Center Panel



Note: Drawing is for representation only.
The actual piece might vary.

WINGITS®

Winglts Wallz™

Center Drain Pan

Model:

WWPNCD

Part Numbers:

WWPNCD3060MSW

30" x 60"

Solid White Color

Matte Finish



Features:

- Compliant with CSA B45.5-17/IAPMO Z124-2017 & ANSI Standards
- Permanently Sealed Surface
- Will not Mold or Mildew
- Easy Installation
- Sanitary, Seamless & Maintenance Free
- Smooth Finish

MECHANICAL DATA

Length: 59.875" (1521mm)

Width: 29.875" (759mm)

Height: 5.25" (133mm)

Linear Tolerances: ±0.125" (3mm)

COMPOSITION

Cast Marble with DuraShield™ (Marine-grade Gel Coat)


RECOMMENDED INTEGRATION

WINGITS® Wallz™ Cast Marble Shower Pans are designed to complement WINGITS® Wallz™ Panel Systems & Accessories.


Drain not included with Pan.

© Copyright 2025 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Top View



Front View



Side View



Note: Drawing is for representation only.
The actual piece might vary.

WINGITS®

Winglts Wallz™
Trench Pan

Model:
WWPNTDO

Part Numbers:

WWPNTDOL3060MSW
30" x 60"
Solid White Color
Matte Finish

WWPNTDOL3060GSW
30" x 60"
Solid White Color
Gloss Finish

WWPNTDOR3060MSW
30" x 60"
Solid White Color
Matte Finish

WWPNTDOR3060GSW
30" x 60"
Solid White Color
Gloss Finish



Left Hand


Features:

- Compliant with CSA B45.5-17/IAPMO Z124-2017 & ANSI Standards
- Permanently Sealed Surface
- Will not Mold or Mildew
- Easy Installation
- Sanitary, Seamless & Maintenance Free
- Smooth Finish


MECHANICAL DATA
Length: 59.875" (1521mm)
Width: 29.875" (759mm)
Height: 3.75" (95mm)
Linear Tolerances: ±0.125" (3mm)
COMPOSITION
Cast Marble with DuraShield™ (Marine-grade Gel Coat)
RECOMMENDED INTEGRATION
WINGITS® Wallz™ Cast Marble Shower Pans are designed to complement WINGITS® Wallz™ Panel Systems & Accessories. Drain not included with Pan.

© Copyright 2024 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Top View



Front View



Side View



Trench Drain Cover Included

Note: Drawing is for representation only.
The actual piece might vary.

WINGITS®

Winglts Wallz™
Offset Pan

Model:
WWPNO

Part Numbers:

WWPNOL30608MSW
30" x 60"
Solid White Color
Matte Finish

WWPNOL30608GSW
30" x 60"
Solid White Color
Gloss Finish

WWPNOR30608MSW
30" x 60"
Solid White Color
Matte Finish

WWPNOR30608GSW
30" x 60"
Solid White Color
Gloss Finish



Left Hand


Features:

- Compliant with CSA B45.5-17/IAPMO Z124-2017 & ANSI Standards
- Permanently Sealed Surface
- Will not Mold or Mildew
- Easy Installation
- Sanitary, Seamless & Maintenance Free
- Smooth Finish


MECHANICAL DATA
Length: 59.875" (1521mm)
Width: 29.875" (759mm)
Height: 3.75" (95mm)
Linear Tolerances: ±0.125" (3mm)
COMPOSITION
Cast Marble with DuraShield™ (Marine-grade Gel Coat)
RECOMMENDED INTEGRATION
WINGITS® Wallz™ Cast Marble Shower Pans are designed to complement WINGITS® Wallz™ Panel Systems & Accessories. Drain not included with Pan.

© Copyright 2024 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Top View



Front View



Side View



Trench Drain Cover Included

Note: Drawing is for representation only.
The actual piece might vary.

WINGITS®

Winglts Wallz™
Center Drain Pan

Model:
WWPNRICD

Part Numbers:

WWPNRICD3162MSW
31" x 62"
Solid White Color
Matte Finish




Features:

- Compliant with CSA B45.5-17/IAPMO Z124-2017 & ANSI Standards
- Permanently Sealed Surface
- Will not Mold or Mildew
- Easy Installation
- Sanitary, Seamless & Maintenance Free
- Smooth Finish


MECHANICAL DATA
Length: 62" (1575mm) Width: 31" (787mm) Height: 4" (102mm) Linear Tolerances: ±0.125" (3mm)
COMPOSITION
Cast Marble with DuraShield™ (Marine-grade Gel Coat)
RECOMMENDED INTEGRATION
WINGITS® Wallz™ Cast Marble Shower Pans are designed to complement WINGITS® Wallz™ Panel Systems & Accessories. Drain not included with Pan.

© Copyright 2024 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

Top View




Front View



Note: Drawing is for representation only.
The actual piece might vary.

SHOWER DOORS



NOTES:

ADDITIONAL STYLES, SIZES, AND FINISHES ARE AVAILABLE UPON REQUEST

WINGITS®

WINGITS®

ShowerLuxe™ Avalon™

S/S Bypass Shower Door w/ *TRAMtec™*



Model:
WSLAN

Part Numbers:

WSLANPSSE
Polished Finish

WSLANSNSE
Satin Finish

WSLANMBSE
Matte Black Finish



Handle Options:

Add to end of part number



SHEER ELEGANCE = SE
(STANDARD)



INFINITE SQUARED = SQ



RADIAL ELEGANCE = RE



INFINITE ELEGANCE = IE



MODERN ELEGANCE = ME

Features:

- *TRAMtec™* trolley system is the most robust and stable system, developed for commercial use. Fast, simple installation!
- WingIts® structural Stainless Steel frame and hardware ensures longevity
- Multi-point panel stops along jambs ensure closure and protects glazing
- Full 3/8" beveled nano-temp glazing - safety tempered, nanocoated to ensure low maintenance
- Five Stainless Steel Towel Bar/Pull options to perfectly match WingIts® Accessories
- 10-year Limited Warranty

MECHANICAL DATA

Length: 60" (1524mm)

Height: 80" (2032mm)

Glass Thickness: Full 3/8" (10mm) Beveled Edges

COMPOSITION

18-8 (304) Stainless Steel frame & hardware/nano-temp glazing

INSTALLATION

Includes Stainless Steel Screw to install into **Adequate Structural Blocking**.


Use WINGITS® MASTER Anchor™ (MAW35) Fasteners when blocking is not available.

COMPLIANCE & CERTIFICATIONS

- SGCC Certified
- ANSI Z.97.1 (Tempered Glass)
- CPSC 16CFR1201 II (Glazing Materials)

© Copyright 2023 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

Front



WINGITS®

ShowerLuxe™ Avant™

S/S Bypass Shower Door

Model:

WSLAT

Part Numbers:

WSLATPSME
Polished Finish

WSLATSNME
Satin Finish

WSLATMBME
Matte Black Finish



Handle Options:

Add to end of part number



MODERN ELEGANCE = ME
(STANDARD)



SHEER ELEGANCE = SE



INFINITE SQUARED = SQ



RADIAL ELEGANCE = RE



INFINITE ELEGANCE = IE



Features:

- Beveled, nano-temp glazing extends past the Stainless Steel Rollers and frame
- WingIts® structural Stainless Steel frame and hardware ensures longevity
- Multi-point panel stops along jambs ensure closure and protects glazing
- Full 3/8" beveled nano-temp glazing - safety tempered, nanocoated to ensure low maintenance
- Five Stainless Steel Towel Bar/Pull options to perfectly match WingIts® Accessories
- 10-year Limited Warranty

MECHANICAL DATA

Length: 60" (1524mm)

Height: 79" (2007mm)

Glass Thickness: Full 3/8" (10mm) Beveled Edges

COMPOSITION

18-8 (304) Stainless Steel frame & hardware/nano-temp glazing

INSTALLATION

Includes Stainless Steel Screw to install into **Adequate Structural Blocking**.


Use WINGITS® MASTER Anchor™ (MAW35) Fasteners when blocking is not available.

COMPLIANCE & CERTIFICATIONS

- SGCC Certified
- ANSI Z.97.1 (Tempered Glass)
- CPSC 16CFR1201 II (Glazing Materials)

© Copyright 2023 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

Front



CLOSET SYSTEMS



NOTES:

5 STANDARD UNITS REPRESENTED

5 STANDARD FINISHES REPRESENTED

ADDITIONAL STYLES AND FINISHES AVAILABLE UPON REQUEST

TYPICAL LEAD TIME IS 6-8 WEEKS

FABRICATED IN NEW JERSEY

WINGITS®

WINGITS®

ELITE Gallery™

36" Closet Shelf

Model:

WEGCSS

Part Numbers:

WEGCSSST36

Studio Teak Finish



WEGCSSBW36

Beigewood Finish



WEGCSSSW36

Skyline Walnut Finish



WEGCSSFC36

Fawn Cypress Finish



WEGCSSW036

Warehouse Oak Finish



Includes World's
Strongest Fasteners®



Features:

- 18/8 (304) Stainless Steel TriRod™ will support even the heaviest garments and will not bend or sag
- Installs in minutes with WINGITS® fasteners (included)
- **CARB Compliant** and **MADE** in the USA

MECHANICAL DATA

Height: 4.25" (108mm)

Width: 36" (914mm)

Depth: 13" (330mm)

COMPOSITION

Wilsonart #7960K-18 Studio Teak

Shelving with 18/8 (304) Stainless Steel TriRod™ (Model#: WCONST)


INSTALLATION

WINGITS® ELITE Gallery™ Closet Shelves include WINGITS® Patented Fasteners (MAW35) for installation.


BWH® | Hotels

© Copyright 2026 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

Front




Side



Bottom



Included Hardware



WINGITS® MASTER Anchor
(MAW35) (2)

WINGITS®

ELITE Gallery™

ADA Step Closet Shelves

Model:

WEGCSS

Part Numbers:

WEGCSSADAST3620

Studio Teak Finish



WEGCSSADABW3620

Beigewood Finish



WEGCSSADASW3620

Skyline Walnut Finish



WEGCSSAD AFC3620

Fawn Cypress Finish



WEGCSSADAWO3620

Warehouse Oak Finish



Includes World's
Strongest Fasteners®



Features:

- 18/8 (304) Stainless Steel TriRod™ will support even the heaviest garments and will not bend or sag
- Installs in minutes with WINGITS® fasteners (included)
- **CARB Compliant** and **MADE** in the USA

MECHANICAL DATA

Height: 20" (508mm)

Width: 36" (914mm)

Depth: 15" (381mm)

COMPOSITION

Wilsonart #7960K-18 Studio Teak

Shelving with 18/8 (304) Stainless Steel TriRod™ (Model#: WCONST)


INSTALLATION

WINGITS® ELITE Gallery™ ADA Step Closet Shelves include WINGITS® Patented Fasteners (MAW35) for installation.


BWH® | Hotels

© Copyright 2026 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Front




Side



Bottom



Included Hardware



WINGITS® MASTER Anchor
(MAW35) (2)

WINGITS®

ELITE Gallery™

Complete Closet System™

Model:

WEGCCSPADA

Part Numbers:

WEGCCSPADAST7260

Studio Teak Finish



WEGCCSPADABW7260

Beigewood Finish



WEGCCSPADASW7260

Skyline Walnut Finish



WEGCCSPADAF7260

Fawn Cypress Finish



WEGCCSPADAW7260

Warehouse Oak Finish



Includes World's
Strongest Fasteners®



Features:

- WORLD'S STRONGEST FREE-STANDING CLOSET SHELF SYSTEM incorporates a structural clip system with patented fastening technology
- 18/8 (304) Stainless Steel TriRod™ will support even the heaviest garments and will not bend or sag
- Easily field-modifiable to fit closets up to 6'
- Installs in minutes with WINGITS® fasteners (included)
- **CARB Compliant** and **MADE in the USA**

MECHANICAL DATA

Height: 60" (1524mm)

Width: 72" (1829mm)

Depth: 13" (330mm)

COMPOSITION

Wilsonart #7960K-18 Studio Teak

Shelving with 18/8 (304) Stainless Steel TriRod™ (Model#: WCONST)


INSTALLATION

WINGITS® ELITE Gallery™ Complete Closet System includes WINGITS® Patented Fasteners (MAW40FH and MAW35) for installation.


BWH | Hotels

© Copyright 2026 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Front




Bottom



Included Hardware



WINGITS® MASTER Anchor
(MAW40FH) (3)



WINGITS® MASTER Anchor
(MAW35) (4)

WINGITS®

ELITE Gallery™

IB Free Closet System

Model:

WEGIB

Part Numbers:

WEGIBST
Studio Teak Finish



WEGIBBW
Beigewood Finish



WEGIBW
Skyline Walnut Finish



WEGIBFC
Fawn Cypress Finish



WEGIBWO
Warehouse Oak Finish



IRONING BOARD HOOK

Includes World's
Strongest Fasteners®



Features:

- 18/8 (304) Stainless Steel TriRod™ will support even the heaviest garments and will not bend or sag
- Installs in minutes with WINGITS® fasteners (included)
- **CARB Compliant** and **MADE in the USA**

MECHANICAL DATA

Height: 30" (762mm)

Width: 24" (610mm)

Depth: 15.5" (394mm)

COMPOSITION

Wilsonart #7960K-18 Studio Teak

Shelving with 18/8 (304) Stainless Steel Rod


INSTALLATION

WINGITS® ELITE Gallery™ IB Free includes WINGITS® Patented Fasteners (MAW35) for installation.


BWH® Hotels

© Copyright 2026 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.


Front




Side




Bottom




Included Hardware




IRONING BOARD HOOK
(1)



TEE-NUT THREADED
WOOD INSERT (2)



IRONING BOARD HANGER
HEX-DRIVE SCREWS (2)



WINGITS® MASTER Anchor
(MAW35) (2)

WINGITS®

ELITE Gallery™

Complete Closet System™

Model:

WEGCCSCP

Part Numbers:

WEGCCSCPST5460
Studio Teak Finish



WEGCCSCPBW5460
Beigewood Finish




WEGCCSCPSW5460
Skyline Walnut Finish



WEGCCSCPFC5460
Fawn Cypress Finish



WEGCCSCPWO5460
Warehouse Oak Finish



IRONING BOARD HOOK



Includes World's
Strongest Fasteners®



Features:

- WORLD'S STRONGEST FREE-STANDING CLOSET SHELF SYSTEM incorporates a structural clip system with patented fastening technology
- 18/8 (304) Stainless Steel TriRod™ will support even the heaviest garments and will not bend or sag
- Easily field-modifiable to fit closets up to 6'
- Installs in minutes with WINGITS® fasteners (included)
- **CARB Compliant** and **MADE in the USA**

MECHANICAL DATA

Height: 60" (1524mm)

Width: 54" (1371mm)

Depth: 13" (330mm)

COMPOSITION

Wilsonart #7960K-18 Studio Teak

Shelving with 18/8 (304) Stainless Steel TriRod™ (Model#: WCONST)


INSTALLATION

WINGITS® ELITE Gallery™ Complete Closet System includes WINGITS® Patented Fasteners (MAW40FH and MAW35) for installation.


BWH® | Hotels

© Copyright 2026 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

Front




Bottom




Included Hardware




IRONING BOARD HOOK
(1)




TEE-NUT THREADED
WOOD INSERT (2)



IRONING BOARD HANGER
HEX-DRIVE SCREWS (2)



WINGITS® MASTER Anchor
(MAW40FH) (1)



WINGITS® MASTER Anchor
(MAW35) (4)

LIGHTED MIRRORS - 1 PIECE



NOTES:

PRICING SHOWN IS FOR THE MIRROR AND TARIFF ONLY

INTERNATIONAL & DOMESTIC FREIGHT WILL BE ADDED TO EACH ORDER

LEAD TIME IS 16-20 WEEKS

WE RECOMMEND ORDERING EXTRA UNITS AS REPLACEMENT GLASS IS NOT AVAILABLE

WINGITS®

WINGITS®

MOLVANO™ Lighted Mirror



Model:

WMO1PCxxyyLED

Part Numbers:

WMO1PC2436LED

24" W x 36" H

WMO1PC3048LED

30" W x 48" H

WMO1PC3636LED

36" W x 36" H

WMO1PC4836LED

48" W x 36" H



BWH® Hotels

FEATURES & BENEFITS

❖ **Precise-View™**

90+ CRI, high-quality LED driver and acrylic diffusers provide clarity, proper lighting/shading and comfort!

❖ **Safety-Backed Glass**

Vinyl-coated mirror eliminates injuries and liabilities inherent with glass

❖ **SilverShield™**

High-density silver backing eliminates any distortion

❖ **Water-Tite™**

Silica gasketing ensures secure installation and zero light leakage

❖ **10-year LIMITED Warranty**❖ **Eco-Perfect™**

High Efficacy 100+ lm/W, lead-free, copper-free & corrosion-resistant. Our crystal-clear light is super-efficient and uses minimal power –saving money every day!

❖ **WingIts® Patented Fasteners**

Included drywall anchors guarantee installation and eliminate blocking

❖ **Stainless Steel Safety Lock**

Ensures durability and unauthorized mirror removal

❖ **Print-Proof™**

Fingerprint-resistant finish



**All Mirrors Fully Customizable
For Your Project*

SIZE: (select option)

24 W x 36 H x 1.2 D

Lighting Specifications	Safety Specifications	Install Specifications	Other Specifications
- LED CCT: 3000K 90+ CRI 2X Standard Output LED Strips w/quick disconnects 50.5 Lumens/Inch - Controlled Remotely by On/Off Wall Switch	- UL Listed - ADA Compliant - Safety-Backed Glass - Stainless Steel Safety Lock - ISO Certified - IP44 Rated - RoHS Compliant - Title 24 Compliance Available	1-piece Mounting System - Aluminum Support Bars w/ Key Hole Hangers	1.2" Frosted Strips w/ Uniform Light Output


SpecSheet_20261012

Toll Free: 877-894-6448 www.wingits.com sales@wingits.com**RETURN TO TABLE OF CONTENTS**


© Copyright 2026 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

24" W x 36" H x 1.2" D


Front View



Side View




Back View




30" W x 48" H x 1.2" D


Front View



Side View




Back View




© Copyright 2026 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

36" W x 36" H x 1.2" D


Front View



Side View




Back View




48" W x 36" H x 1.2" D


Front View



Side View



Back View



WINGITS®

ALVISTA™ Lighted Mirror



Model:

WAL1PCxxyyLED

Part Numbers:

WAL1PC2436LED

24" W x 36" H

WAL1PC3048LED

30" W x 48" H

WAL1PC3636LED

36" W x 36" H

WAL1PC4836LED

48" W x 36" H

BWH® Hotels



FEATURES & BENEFITS

❖ **Precise-View™**

90+ CRI, high-quality LED driver and acrylic diffusers provide clarity, proper lighting/shading and comfort!

❖ **Safety-Backed Glass**

Vinyl-coated mirror eliminates injuries and liabilities inherent with glass

❖ **SilverShield™**

High-density silver backing eliminates any distortion

❖ **Water-Tite™**

Silica gasketing ensures secure installation and zero light leakage

❖ **10-year LIMITED Warranty**❖ **Eco-Perfect™**

High Efficacy 100+ lm/W, lead-free, copper-free & corrosion-resistant. Our crystal-clear light is super-efficient and uses minimal power –saving money every day!

❖ **WingIts® Patented Fasteners**

Included drywall anchors guarantee installation and eliminate blocking

❖ **Stainless Steel Safety Lock**

Ensures durability and unauthorized mirror removal

❖ **Print-Proof™**

Fingerprint-resistant finish



**All Mirrors Fully Customizable
For Your Project*

SIZE: (select option)

24 W x 36 H x 1.2 D


Lighting Specifications	Safety Specifications	Install Specifications	Other Specifications
- LED CCT: 3000K 90+ CRI 2X Standard Output LED Strips w/quick disconnects 50.5 Lumens/Inch - Controlled Remotely by On/Off Wall Switch	- UL Listed - ADA Compliant - Safety-Backed Glass - Stainless Steel Safety Lock - ISO Certified - IP44 Rated - RoHS Compliant - Title 24 Compliance Available	1-piece Mounting System - Aluminum Support Bars w/ Key Hole Hangers	1.2" Frosted Strips w/ Uniform Light Output

SpecSheet_20260505


Toll Free: 877-894-6448 www.wingits.com sales@wingits.com**RETURN TO TABLE OF CONTENTS**

© Copyright 2026 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

24" W x 36" H x 1.2" D




30" W x 48" H x 1.2" D




© Copyright 2026 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

36" W x 36" H x 1.2" D


Front View



Side View




Back View




48" W x 36" H x 1.2" D


Front View



Side View



Back View



WINGITS®

MATIRI™ Lighted Mirror



Model:

WMR1PCxxyyLED

Part Numbers:

WMR1PC2436LED

24" W x 36" H

WMR1PC3048LED

30" W x 48" H

WMR1PC3636LED

36" W x 36" H

WMR1PC4836LED

48" W x 36" H



BWH® Hotels

FEATURES & BENEFITS

❖ **Precise-View™**

90+ CRI, high-quality LED driver and acrylic diffusers provide clarity, proper lighting/shading and comfort!

❖ **Safety-Backed Glass**

Vinyl-coated mirror eliminates injuries and liabilities inherent with glass

❖ **SilverShield™**

High-density silver backing eliminates any distortion

❖ **Water-Tite™**

Silica gasketing ensures secure installation and zero light leakage

❖ **10-year LIMITED Warranty**❖ **Eco-Perfect™**

High Efficacy 100+ lm/W, lead-free, copper-free & corrosion-resistant. Our crystal-clear light is super-efficient and uses minimal power –saving money every day!

❖ **WingIts® Patented Fasteners**

Included drywall anchors guarantee installation and eliminate blocking

❖ **Stainless Steel Safety Lock**

Ensures durability and unauthorized mirror removal

❖ **Print-Proof™**

Fingerprint-resistant finish



**All Mirrors Fully Customizable
For Your Project*

SIZE: (select option)

24 W x 36 H x 1.2 D

Lighting Specifications	Safety Specifications	Install Specifications	Other Specifications
- LED CCT: 3000K 90+ CRI 2X Standard Output LED Strips w/quick disconnects 50.5 Lumens/Inch - Controlled Remotely by On/Off Wall Switch	- UL Listed - ADA Compliant - Safety-Backed Glass - Stainless Steel Safety Lock - ISO Certified - IP44 Rated - RoHS Compliant - Title 24 Compliance Available	1-piece Mounting System - Aluminum Support Bars w/ Key Hole Hangers	1.2" Frosted Strips w/ Uniform Light Output


SpecSheet_20260505

Toll Free: 877-894-6448 www.wingits.com sales@wingits.com**RETURN TO TABLE OF CONTENTS**


© Copyright 2026 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

24" W x 36" H x 1.2" D


Front View



Side View




Back View




30" W x 48" H x 1.2" D


Front View



Side View




Back View




© Copyright 2026 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

36" W x 36" H x 1.2" D


Front View



Side View




Back View




48" W x 36" H x 1.2" D


Front View



Side View



Back View



WINGITS®

ALTAREN™ Lighted Mirror



Model:

WAT1PCxxyyLED

Part Numbers:

WAT1PC2436LED

24" W x 36" H

WAT1PC3048LED

30" W x 48" H

WAT1PC3636LED

36" W x 36" H

WAT1PC4836LED

48" W x 36" H



BWH® Hotels

FEATURES & BENEFITS

❖ **Precise-View™**

90+ CRI, high-quality LED driver and acrylic diffusers provide clarity, proper lighting/shading and comfort!

❖ **Safety-Backed Glass**

Vinyl-coated mirror eliminates injuries and liabilities inherent with glass

❖ **SilverShield™**

High-density silver backing eliminates any distortion

❖ **Water-Tite™**

Silica gasketing ensures secure installation and zero light leakage

❖ **10-year LIMITED Warranty**❖ **Eco-Perfect™**

High Efficacy 100+ lm/W, lead-free, copper-free & corrosion-resistant. Our crystal-clear light is super-efficient and uses minimal power –saving money every day!

❖ **WingIts® Patented Fasteners**

Included drywall anchors guarantee installation and eliminate blocking

❖ **Stainless Steel Safety Lock**

Ensures durability and unauthorized mirror removal

❖ **Print-Proof™**

Fingerprint-resistant finish



**All Mirrors Fully Customizable
For Your Project*

SIZE: (select option)

24 W x 36 H x 1.2 D

Lighting Specifications	Safety Specifications	Install Specifications	Other Specifications
- LED CCT: 3000K 90+ CRI 2X Standard Output LED Strips w/quick disconnects 50.5 Lumens/Inch - Controlled Remotely by On/Off Wall Switch	- UL Listed - ADA Compliant - Safety-Backed Glass - Stainless Steel Safety Lock - ISO Certified - IP44 Rated - RoHS Compliant - Title 24 Compliance Available	1-piece Mounting System - Aluminum Support Bars w/ Key Hole Hangers	1.2" Frosted Strips w/ Uniform Light Output


SpecSheet_20260505

Toll Free: 877-894-6448 www.wingits.com sales@wingits.com**RETURN TO TABLE OF CONTENTS**


© Copyright 2026 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

24" W x 36" H x 1.2" D


Front View



Side View




Back View




30" W x 48" H x 1.2" D


Front View



Side View




Back View




© Copyright 2026 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

36" W x 36" H x 1.2" D


Front View



Side View




Back View




48" W x 36" H x 1.2" D


Front View



Side View



Back View



WINGITS®

ELETRI™ Lighted Mirror



Model:

WEL1PCxxyyLED

Part Numbers:

WEL1PC2436LED

24" W x 36" H

WEL1PC3048LED

30" W x 48" H

WEL1PC3636LED

36" W x 36" H

WEL1PC4836LED

48" W x 36" H



BWH® Hotels

FEATURES & BENEFITS

❖ **Precise-View™**

90+ CRI, high-quality LED driver and acrylic diffusers provide clarity, proper lighting/shading and comfort!

❖ **Safety-Backed Glass**

Vinyl-coated mirror eliminates injuries and liabilities inherent with glass

❖ **SilverShield™**

High-density silver backing eliminates any distortion

❖ **Water-Tite™**

Silica gasketing ensures secure installation and zero light leakage

❖ **10-year LIMITED Warranty**

❖ **Eco-Perfect™**

High Efficacy 100+ lm/W, lead-free, copper-free & corrosion-resistant. Our crystal-clear light is super-efficient and uses minimal power –saving money every day!

❖ **WingIts® Patented Fasteners**

Included drywall anchors guarantee installation and eliminate blocking

❖ **Stainless Steel Safety Lock**

Ensures durability and unauthorized mirror removal

❖ **Print-Proof™**

Fingerprint-resistant finish



**All Mirrors Fully Customizable
For Your Project*

SIZE: (select option)

24 W x 36 H x 1.2 D

Lighting Specifications	Safety Specifications	Install Specifications	Other Specifications
- LED CCT: 3000K 90+ CRI 2X Standard Output LED Strips w/quick disconnects 50.5 Lumens/Inch - Controlled Remotely by On/Off Wall Switch	- UL Listed - ADA Compliant - Safety-Backed Glass - Stainless Steel Safety Lock - ISO Certified - IP44 Rated - RoHS Compliant - Title 24 Compliance Available	1-piece Mounting System - Aluminum Support Bars w/ Key Hole Hangers	1.2" Frosted Strips w/ Uniform Light Output

SpecSheet_20260505


Toll Free: 877-894-6448 www.wingits.com sales@wingits.com

RETURN TO TABLE OF CONTENTS


© Copyright 2026 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

24" W x 36" H x 1.2" D


Front View



Side View




Back View




30" W x 48" H x 1.2" D


Front View



Side View




Back View




© Copyright 2026 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

36" W x 36" H x 1.2" D


Front View



Side View




Back View




48" W x 36" H x 1.2" D


Front View



Side View



Back View



LIGHTED MIRRORS - 2 PIECE



NOTES:

PRICING SHOWN IS FOR THE MIRROR AND TARIFF ONLY
DOMESTIC FREIGHT IS CALCULATED FOB ANDREWS, SC 29510
LEAD TIME IS 7-10 DAYS
REPLACEMENT GLASS IS INCLUDED WITH EACH SHIPMENT

WINGITS®



MOLVANO™ Lighted Mirror



Model:

WMOxxyyLED

WMO2436LED

WMO2836LED

WMO3636LED

WMO3642LED

WMO6036LED

WMO4236LED

WMO4242LED

WMO4436LED

WMO4836LED



*All Mirrors Fully Customizable
For Your Project

FEATURES & BENEFITS

- ❖ **Precise-View™**
85+ CRI, high-quality LED driver and acrylic diffusers provide clarity, proper lighting/shading and comfort!
- ❖ **Eco-Perfect™**
High Efficacy 100+ lm/W, lead-free, copper-free & corrosion-resistant. Our crystal-clear light is super-efficient and uses minimal power –saving money every day!
- ❖ **Safety-Backed Glass**
Vinyl-coated mirror eliminates injuries and liabilities inherent with glass
- ❖ **SilverShield™**
High-density silver backing eliminates any distortion
- ❖ **Print-Proof™**
Fingerprint-resistant finish
- ❖ **WingIts® Patented Fasteners**
Included drywall anchors guarantee installation and eliminate blocking
- ❖ **Stainless Steel Safety Lock**
Ensures durability and unauthorized mirror removal
- ❖ **Water-Tite™**
Silica gasketing ensures secure installation
- ❖ **10-year LIMITED Warranty**



SIZE: (select option) 24 W x 36 H x 1.75 D

Lighting Specifications

- Natural-looking LED Light Color
- CRI: 85+ (90+ options available)
- 100 Lumens per Watt Efficacy
- LED Strip CCT:
3000 Kelvin (Standard)
- Acrylic Diffusers for Ambient Lighting

Safety Specifications

- UL Listed
- ADA Compliant
- Safety-Backed Glass
- Stainless Steel Safety Lock
- Environmentally Sustainable
- ISO Certified
- IP44 Rated
- RoHS Compliant
- Title 24 Compliance Available

Install Specifications

- 2-piece Mounting System (Mirror + Chassis)
- Pre-drilled Mounting Holes
- Hardwired Electrical Connection
- Controlled Remotely by On/Off Wall Switch
- Install Chassis into Adequate Structural Blocking or with **WingIts® Patented MAW35 Fasteners (included)**


Available Options*

- CRI: 90+ ☐
- High-Output LED Strips ☐
- 2X High-Output LED Strips ☐
- Dimming Capabilities ☐
- Plug-in (pronged plug for wall outlet) ☐




*Additional Cost Associated

© Copyright 2021 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

Mirror Front



Chassis Front





*All Mirrors Fully Customizable
For Your Project

ALVISTA™ Lighted Mirror

Model:

WAL_{xxxx}LED

WAL2436LED

WAL2836LED

WAL3636LED

WAL3642LED

WAL6036LED

WAL4236LED

WAL4242LED

WAL4436LED

WAL4836LED

FEATURES & BENEFITS

- ❖ **Precise-View™**
85+ CRI, high-quality LED driver and acrylic diffusers provide clarity, proper lighting/shading and comfort!
- ❖ **Eco-Perfect™**
High Efficacy 100+ lm/W, lead-free, copper-free & corrosion-resistant. Our crystal-clear light is super-efficient and uses minimal power –saving money every day!
- ❖ **Safety-Backed Glass**
Vinyl-coated mirror eliminates injuries and liabilities inherent with glass
- ❖ **SilverShield™**
High-density silver backing eliminates any distortion
- ❖ **Print-Proof™**
Fingerprint-resistant finish
- ❖ **WingIts® Patented Fasteners**
Included drywall anchors guarantee installation and eliminate blocking
- ❖ **Stainless Steel Safety Lock**
Ensures durability and unauthorized mirror removal
- ❖ **Water-Tite™**
Silica gasketing ensures secure installation
- ❖ **10-year LIMITED Warranty**



SIZE: (select option) 24 W x 36 H x 1.75 D

Lighting Specifications

- Natural-looking LED Light Color
- CRI: 85+ (90+ options available)
- 100 Lumens per Watt Efficacy
- LED Strip CCT:
3000 Kelvin (Standard)
- Acrylic Diffusers for Ambient Lighting

Safety Specifications

- UL Listed
- Safety-Backed Glass
- Stainless Steel Safety Lock
- Environmentally Sustainable
- ISO Certified
- IP44 Rated
- RoHS Compliant
- Title 24 Compliance Available

Install Specifications

- 2-piece Mounting System (Mirror + Chassis)
- Pre-drilled Mounting Holes
- Hardwired Electrical Connection
- Controlled Remotely by On/Off Wall Switch
- Install Chassis into Adequate Structural Blocking or with **WingIts® Patented MAW35 Fasteners (included)**


Available Options*

- CRI: 90+ ☐
- High-Output LED Strips ☐
- 2X High-Output LED Strips ☐
- Dimming Capabilities ☐
- Plug-in (pronged plug for wall outlet) ☐




*Additional Cost Associated

© Copyright 2021 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

Mirror Front



Chassis Front





MATIRI™ Lighted Mirror



Model:

WMR_{xyy}LED

WMR2436LED

WMR2836LED

WMR3636LED

WMR3642LED

WMR6036LED

WMR4236LED

WMR4242LED

WMR4436LED

WMR4836LED



**All Mirrors Fully Customizable
For Your Project*

FEATURES & BENEFITS

- ❖ **Precise-View™**
85+ CRI, high-quality LED driver and acrylic diffusers provide clarity, proper lighting/shading and comfort!
- ❖ **Eco-Perfect™**
High Efficacy 100+ lm/W, lead-free, copper-free & corrosion-resistant. Our crystal-clear light is super-efficient and uses minimal power –saving money every day!
- ❖ **Safety-Backed Glass**
Vinyl-coated mirror eliminates injuries and liabilities inherent with glass
- ❖ **SilverShield™**
High-density silver backing eliminates any distortion
- ❖ **Print-Proof™**
Fingerprint-resistant finish
- ❖ **WingIts® Patented Fasteners**
Included drywall anchors guarantee installation and eliminate blocking
- ❖ **Stainless Steel Safety Lock**
Ensures durability and unauthorized mirror removal
- ❖ **Water-Tite™**
Silica gasketing ensures secure installation
- ❖ **10-year LIMITED Warranty**



SIZE: (select option) 24 W x 36 H x 1.75 D

Lighting Specifications

- Natural-looking LED Light Color
- CRI: 85+ (90+ options available)
- 100 Lumens per Watt Efficacy
- LED Strip CCT:
3000 Kelvin (Standard)

Safety Specifications

- UL Listed
- ADA Compliant
- Safety-Backed Glass
- Stainless Steel Safety Lock
- Environmentally Sustainable
- ISO Certified
- IP44 Rated
- RoHS Compliant
- Title 24 Compliance Available

Install Specifications

- 2-piece Mounting System (Mirror + Chassis)
- Pre-drilled Mounting Holes
- Hardwired Electrical Connection
- Controlled Remotely by On/Off Wall Switch
- Install Chassis into Adequate Structural Blocking or with **WingIts® Patented MAW35 Fasteners (included)**


Available Options*

- CRI: 90+ ☐
- High-Output LED Strips ☐
- 2X High-Output LED Strips ☐
- Dimming Capabilities ☐
- Plug-in (pronged plug for wall outlet) ☐




*Additional Cost Associated

© Copyright 2021 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

Mirror Front



Chassis Front





*All Mirrors Fully Customizable
For Your Project

ALTAREN™ Lighted Mirror

Model:

WAT_{xxxx}LED

WAT2436LED

WAT2836LED

WAT3636LED

WAT3642LED

WAT6036LED

WAT4236LED


WAT4242LED

WAT4436LED

WAT4836LED

FEATURES & BENEFITS

- ❖ **Precise-View™**
85+ CRI, high-quality LED driver and acrylic diffusers provide clarity, proper lighting/shading and comfort!
- ❖ **Eco-Perfect™**
High Efficacy 100+ lm/W, lead-free, copper-free & corrosion-resistant. Our crystal-clear light is super-efficient and uses minimal power –saving money every day!
- ❖ **Safety-Backed Glass**
Vinyl-coated mirror eliminates injuries and liabilities inherent with glass
- ❖ **SilverShield™**
High-density silver backing eliminates any distortion
- ❖ **Print-Proof™**
Fingerprint-resistant finish
- ❖ **WingIts® Patented Fasteners**
Included drywall anchors guarantee installation and eliminate blocking
- ❖ **Stainless Steel Safety Lock**
Ensures durability and unauthorized mirror removal
- ❖ **Water-Tite™**
Silica gasketing ensures secure installation
- ❖ **10-year LIMITED Warranty**



SIZE: (select option) 24 W x 36 H x 1.75 D

Lighting Specifications

- Natural-looking LED Light Color
- CRI: 85+ (90+ options available)
- 100 Lumens per Watt Efficacy
- LED Strip CCT:

3000 Kelvin (Standard)

Safety Specifications

- UL Listed
- Safety-Backed Glass
- Stainless Steel Safety Lock
- Environmentally Sustainable
- ISO Certified
- IP44 Rated
- RoHS Compliant
- Title 24 Compliance Available

Install Specifications

- 2-piece Mounting System (Mirror + Chassis)
- Pre-drilled Mounting Holes
- Hardwired Electrical Connection
- Controlled Remotely by On/Off Wall Switch
- Install Chassis into Adequate Structural Blocking or with **WingIts® Patented MAW35 Fasteners (included)**


Available Options*

- CRI: 90+ ☐
- High-Output LED Strips ☐
- 2X High-Output LED Strips ☐
- Dimming Capabilities ☐
- Plug-in (pronged plug for wall outlet) ☐




*Additional Cost Associated

© Copyright 2021 WingIt Innovations, LLC. This document contains information proprietary to WingIt Innovations, LLC that is protected by patent, copyright, and/or other proprietary rights. The information contained herein is not to be duplicated or transferred in any manner without prior written permission from WingIt Innovations, LLC.

Mirror Front



Chassis Front



FASTENERS & DRILL BITS



NOTES:

INSTALLATION ACCESSORIES
OPTIONAL IF ADEQUATE STRUCTURAL BLOCKING IS NOT AVAILABLE

WINGITS®

WINGITS®

CONTOUR™

Shower Rod Renovation Kit

Model:
RENKIT

Part Numbers:

RENKIT
CONTOUR™ Shower Rod Installation Kit
for Renovation



MECHANICAL DATA

Length: 5" (127mm)

Width: 4" (102mm)

COMPOSITION

Kit Includes:

- 2 WINGITS® MASTER Anchor™ Fasteners with 3.5" Screws (MAW35)
- 2 Waterproof Adhesive Templates
- 2 Plastic Anchors

INSTALLATION

WINGITS® Renovation Kit (RENKIT) includes components to install 1 CONTOUR™ Shower Rod into hollow walls.

RECOMMENDED INTEGRATION

WINGITS® Renovation Kits (RENKIT) are designed to install WINGITS® CONTOUR™ Shower Rod Brackets into hollow walls.



Industrial Grade Carbide Drill Bit

- MAW35 installs quickly and easily with the APACHE200 (WA200GT34)
- Drills holes through ceramic wall tiles in seconds - use cordless drill
- Designed for ceramic, marble & plaster

WINGITS®

Grab Bar Fastener

Model:
GBW

Part Numbers:

GBW40

Stainless Steel Fastener with
4" Stainless Steel Screw

GBW50

Stainless Steel Fastener with
5" Stainless Steel Screw

AS EASY AS ...



World's Strongest Fastener®



Features:

- Exceeds ADA Guidelines and ALL Building Codes
- NEVER Loosens - World's Strongest Fastener®
- Water & Fire Resistant
- Used to Install WINGITS® Grab Bars and Select Shower Seats/Tub Benches*
- Rated up to 800lb in Drywall with Tile

*Into Hollow Walls

MECHANICAL DATA

Length: 2.75" (70mm)

Height: 2.75" (70mm)

Depth: 4" (102mm)

COMPOSITION

18-8 (304) Stainless Steel and 3M® VHB Waterproof Tape

INSTALLATION

WINGITS® Grab Bar Fasteners (GBW40) are designed for walls framed with 2 x 4's (3.5" hollow or larger) and come standard with a 4" Stainless Steel Screw for walls up to 1.25" thick. Longer screws available for thicker walls.

RECOMMENDED INTEGRATION

WINGITS® Grab Bar Fasteners (GBW40) are **rated up to 800lb** (363kg) in Drywall with Tile.



Industrial Grade Carbide Drill Bit

- GBW40 installs quickly and easily with the APACHE200 (WA200GT54)
- Drills holes through ceramic wall tiles in seconds - use cordless drill
- Designed for ceramic, marble & plaster

Installation Instructions

SRGBW40/GBW40/GBW50

NEVER INSTALL ANY FASTENER INTO WET OR DETERIORATING WALLS.

Structural Blocking Must Be Used In PLAIN 1/2" DRYWALL When Attempting To Meet Commercial Building Codes.

Specifications

- **GBW40** Standard WINGITS® is used in walls framed with 2 x 4's (3-1/2" hollow or larger).
- **SRGBW40** Reverse WINGITS® is used in walls framed with 2 x 3's (2-1/2" hollow or larger).
- WINGITS® come standard with a stainless steel 4" screw for walls up to 1 1/4" thick. Larger screws available for thicker walls.

NOTE: For Maximum Safety and to meet ADA Requirements, Grab Bars should be Installed Horizontally 33-36" from the floor.

Before You Install:

- Verify the length of the grab bar by measuring from the inside of one flange to the outside of the other.
- To ensure adequate clearance, a stud finder should be used to verify there are no studs within the area where the WINGITS® will be installed.
Make sure that there is at least 1.5" away from the edge of the stud. If concerned, drill a pilot hole and insert a piece of wire in the shape of an "L" - swirl the wire to make sure there is nothing in the way. Once inserted, each wing assembly will spring open almost 3" in diameter
- **Tools Required:** Screwdriver, 1.25" Drill (our APACHE 200 rated at 200 holes in ceramic wall tile)
- Drill a 1-1/4" hole in the wall precisely at the center point where each grab bar flange will align.
- Clean wall surface


Commercial Grab Bar Fastening System Installation Guide. **WINGITS®** Grab Bar Fastening Systems Exceed Building Codes For Grab Bars In The Following Wall Substrates:

- 5/8" Drywall - Painted or Wallpapered
- 1/2" or 5/8" Drywall with Tub Surrounds
- 1/2" or 5/8" Drywall with Tile, Marble or Stone
- 1/2" or 5/8" Drywall with any Panel Types including Fiberglass, Faux Marble, Acrylic and Plastics
- Multiple Layers of Drywall, Plaster and Lath
- 1/4" Acrylic/Fiberglass Tub Surrounds
- Most Wall Panels, All Masonry Type Boards, with or without Decorative Panels



Installing Grab Bars from **WINGITS®** :

1. Drill 1.25" Hole in Wall (see above Before You Install)
2. Attach the Grab Bar with the supplied 10-32 X 3/16" screws
3. Remove the liner from the **3M® WATERPROOF ADHESIVE** on the WINGITS®
4. Back-out the center **SCREW** about the same distance as the wall thickness
5. Insert the Grab Bar WINGITS® into the wall with the holes aligned vertically (12 and 6 o'clock)
6. Hold down firmly, allowing the adhesive to stick
7. Push the screw head while applying pressure to the **FACEPLATE** to "POP" the wings behind the wall
8. Tighten the screw with the included nut
9. WINGITS® Grab Bar Flanges have 3 holes and TWO SLOTS in each flange. Use the TWO Slots to attach the grab bar to **FACEPLATE**.



View Installation Videos at: www.wingits.com

Toll Free: 877-894-6448 www.wingits.com sales@wingits.com

RETURN TO TABLE OF CONTENTS

WINGITS®

Model:
GBWME

Part Numbers:

GBWME40

Stainless Steel Fastener with
Plastic Face Plate and 4"
Stainless Steel Screw

AS EASY AS ...



Designer Grab Bar Fastener

World's Strongest Fastener®



Features:

- Exceeds ADA Guidelines and ALL Building Codes
- NEVER Loosens - World's Strongest Fastener®
- Water Resistant and Fire Retardant
- Used to Install WINGITS® Designer Grab Bars
- Rated up to 600lb in Drywall with Tile
- Eliminates the need for Blocking

MECHANICAL DATA

Length: 2.75" (70mm)

Height: 2.75" (70mm)

Depth: 4" (102mm)

COMPOSITION

18-8 (304) Stainless Steel with Plastic Face Plate

INSTALLATION

WINGITS® Grab Bar Fasteners (GBWME40) are rated up to 600lb in drywall with tile and designed to install WINGITS® Designer Grab Bars.



Industrial Grade Carbide Drill Bit

- GBWME40 installs quickly and easily with the APACHE200 (WA200GT54)
- Drills holes through ceramic wall tiles in seconds - use cordless drill
- Designed for ceramic, marble & plaster

Installation Instructions

GBWME40

WINGITS® MODERN Elegance™ Grab Bar Fastening System Installation Guide WINGITS® Grab Bar Fastening Systems Exceeds Building Codes For Grab Bars In The Following Wall Substrates:

- 5/8" Drywall - painted or wallpapered
- 1/2" or 5/8" Drywall with tub surrounds
- 1/2" or 5/8" Drywall with tile, marble or stone
- 1/2" or 5/8" Drywall with any panel types including fiberglass, faux marble, acrylic and plastics
- Multiple layers of Drywall
- Plaster and lath
- 1/4" acrylic / fiberglass tub surrounds
- Most wall panels, all masonry type boards, with or without decorative panels


WINGITS® MODERN Elegance™ uses Indicator Points to simplify installation.

1. Remove the stand-offs to expose the **INDICATOR POINTS** on the accessory.
2. To ensure adequate clearance, a stud finder should be used to verify there are no studs within the area where the WingIts™ will be installed. Make sure that there is at least 1.5" away from the edge of the stud.
3. Place the accessory in the preferred location and **push on the accessory to mark the points where stand-offs will be mounted.**

GBWME40

Installing MODERN Elegance™ Grab Bars

1. Drill 1.25" hole on the marks by the **INDICATOR POINTS**.
2. Peel one side off of waterproof tape and adhere around drilled hole in wall.
3. Remove center **SCREW** completely.
4. Insert **SCREW** through **STAND-OFF** and rethread into fastener.
5. Insert the WingIts™ into the wall.
6. Push the **SCREW** head all the way into the **STAND-OFF** until the wings "POP" behind the wall.
7. Pull on **STAND-OFF**, remove tape liner - keep **STAND-OFF** away from wall as you tighten.
8. Attach Grab Bar and tighten set screws.



View Installation Videos at:
www.wingits.com

View Installation Videos at: www.wingits.com

Toll Free: 877-894-6448 www.wingits.com sales@wingits.com

RETURN TO TABLE OF CONTENTS

WINGITS®

MASTER Anchor™

World's Strongest Fastener®

Model:
MAW

Part Numbers:

MAW35

Plastic Anchor with 3.5" Stainless Steel Screw

AS EASY AS ...



Features:

- Rated up to 300lb (in shear)
- NEVER Loosens
- Water Resistant & Fire Retardant
- Patented Worldwide
- Handles Vector and Vibratory Forces

*****INSTALLING TVs*** - Only for Low-Profile/Tilting Mounts
(Not Full Motion Mounts)**

MECHANICAL DATA
Height (face plate): 1" (25mm)
Length (face plate): 1" (25mm)
Depth: 3.5" (88.9mm)
COMPOSITION
Structural Plastic with 3.5" Stainless Steel Screw
INSTALLATION
WINGITS® MAW35 Fasteners are designed for hollow-wall construction for wall substrates up to 1.2" thick.




Industrial Grade Carbide Drill Bit

- MAW35 installs quickly and easily with the APACHE200 (WA200GT34)
- Drills holes through ceramic wall tiles in seconds - use cordless drill
- Designed for ceramic, marble & plaster

Installation Instructions

MAW35




Note - Strength is in Shear

Strength and stability are greatly affected by projection off—and length of interaction with—the wall surface.


For guidance, call us at 877.894.6448. WINGITS® are designed to be used in vertical walls only.

DO NOT USE IN CEILINGS.

1. For watertight application remove OUTER RINGS and stick onto FACE PLATES



2. Find flat, secure surface. Using your palm, "pop" WINGED TOP into FACE PLATE



3. Extend WINGIT to full length



4. Compress WINGS and insert WINGIT such that wing tips appear flush with wall surface



5. "Pop" WINGIT through wall



6. Secure WINGIT and Accessory with the enclosed 3.5" Stainless Steel Screw



View Installation Videos at: www.wingits.com

Toll Free: 877-894-6448 www.wingits.com sales@wingits.com

RETURN TO TABLE OF CONTENTS

WINGITS®

APACHE 200™

Industrial Grade Carbide Drill Bit

Model:

WA200

Part Numbers:

WA2003PCS

3 Piece Kit, includes 1/4", 3/4", 1 1/4" Drill Bits

WA2005PCS

5 Piece Kit, includes 1/4", 1/2", 3/4", 1", 1 1/4" Drill Bits

WA200GT34

APACHE 200 3/4" Drill Bit

WA200GT54

APACHE 200 1 1/4" Drill Bit



Features:

- Rated up to 200 holes in Ceramic Wall Tile
- Drills holes through Ceramic Wall Tiles in seconds
- No hammer drill required - this precision cutting drill does all the work
- Industrial grade carbide cutting tool
- Engineered for standard and cordless drills
- Designed for ceramic, marble, plaster, steel, glass and lath



Unlike hole saws, the APACHE200™ does not require a pilot hole, never drifts during start-up or needs to be emptied after each use. Just put the APACHE200™ into your drill, place on mark and pull the trigger.